

FIELDQUIP®
AG & TURF



FINE TURF
RETAIL PRICE LIST

EFFECTIVE - 1 MAY, 2026

FIELDQUIP[®]

AG & TURF



GLOBAL INNOVATION. LOCAL EXPERTISE.

THE SMART CHOICE FOR PROFESSIONAL TURF MANAGEMENT.

Headquartered in Oakey, Queensland, Fieldquip Ag & Turf is part of the global Alamo Group, a world leader in the design and manufacture of professional agricultural and turf equipment.

We proudly supply and support a diverse range of premium implements across Australia and New Zealand, combining international innovation with local expertise. Our portfolio includes slashing and mowing equipment from 1 to 8 metres wide, along with flail mowers, reach mowers, remote-control mowers, pasture toppers, finishing mowers, and an extensive fine turf range sourced from our trusted international partners.

Since beginning in 2004, Fieldquip Ag & Turf has continued to grow and evolve, driven by a commitment to quality, reliability and customer satisfaction. As part of the Alamo Group since 2014, we are proud to connect our customers with world-class equipment from leading manufacturers in the UK, USA, Germany and beyond, all backed by local service and support they can depend on.

MISSION

To provide reliable, high-quality implements that deliver exceptional value and exceed the expectations of tractor owners, operators and turf professionals throughout Australia and New Zealand.

VISION

For every tractor owner and turf professional in Australia and New Zealand to be the proud owner of at least one Fieldquip implement.

WE TAKE RESPONSIBILITY FOR QUALITY

Quality is at the core of everything we do. From design and sourcing to delivery and support, we are committed to providing durable, high-performing equipment that meets the needs of professionals in the field. Every member of our team takes pride in the quality of their work.

WE DELIVER CUSTOMER SATISFACTION

Our customers are the reason we exist. We listen, we adapt and we deliver, ensuring every product and service reflects our commitment to reliability, affordability and long-term value.

WE PROVIDE LEADERSHIP AS A COMPANY AND AS INDIVIDUALS

Our leadership is built on innovation, experience and collaboration. We value initiative and teamwork, empowering our people to make decisions that improve performance, strengthen relationships and drive continuous improvement.

WE ACT WITH INTEGRITY IN ALL WE DO

Honesty, fairness and respect guide every aspect of our business. We honour our commitments and take responsibility for our actions with customers, suppliers, our team and the broader community.

WE VALUE FIELDQUIP AG & TURF PEOPLE

Our people are our foundation. We foster a culture of respect, trust and opportunity, encouraging growth, learning and collaboration across every part of the business.

WE CONSIDER OUR SUPPLIERS AS VITAL TEAM MEMBERS

Our suppliers are integral to our success. We believe in clear communication, mutual respect and fair partnerships that deliver consistent quality and long-term value for our customers.



WIEDENMANN TURF IMPLEMENTS 4

Sweepers, Flail & Verticut Collectors	4
Terra Spike Aerators	8
Three-Point Linkage Debris Blowers	16
Overseeding Implements	17
Core Recycling Implements	20
Rake & Brush Implements	25
Verti-Cutting Implements	28
Grass and Leaf Collectors	29

GKB MACHINES 30**STARGREEN TOP DRESSER RANGE 60**

WIEDENMANN SUPER 1300 S

The Wiedenmann SUPER 1300 S is a compact, high-performance sweeper designed for use on sports fields, golf greens, public parks, and residential lawns. It's perfect for efficiently collecting grass clippings, leaves, and other debris.

KEY FEATURES:

Consistent Sweeping: The pick-up head is mounted parallel to the ground, ensuring the sweeping brush stays at a consistent height, even as the hopper fills. It's ideal for uneven terrain.

Overhead Dumping: The standard overhead dump system makes it easy to empty debris into standard containers, with a 170cm dumping height for efficient unloading.

Easy Mounting: The sweeper attaches to the lower link arms of the tractor's 3-point hitch, ensuring smooth, precise operation behind the towing vehicle.

Large Capacity: With a 1.6 m³ container, you can sweep longer without needing to stop and empty.

Accurate Tracking: The pivot point in front of the machine ensures accurate tracking, making it easy to work close to obstacles like trees and edges.

Standard Build Inclusions:

- 1274013 2-Point Hitch Attachment with Hose Support
- 1274029 Hydraulic Drive System
- 1272508 Rear Collision Guard with Light Kit
- 1274050 Electronic Fill Level Meter with Digital Display
- 1240385 3-Pin Electrical Harness for Fill Meter
- 1274023 Low Mount Hitch Below PTO Shaft Stub



Model No.	Overall Width	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
2870042	1.7 m	1.3 m (4'2")	650kg	15	AU\$41,060	AU\$45,165

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
1274028	Comfortable electro-hydraulic control with filling indicator – requires one double-acting hydraulic connection.	AU\$3,755	AU\$4,131
1272504	Filler Plate for Spindle-Mown Grass (Lightweight Material)	AU\$1,235	AU\$1,359
2879600	Additional Year Warranty Extension (24 Months Total)	AU\$822	AU\$904



WIEDENMANN SUPER 500 WITH MULTIPURPOSE HEAD

The Wiedenmann SUPER 500 is a versatile, high-performance turf maintenance machine designed for use on sports fields, golf courses, public parks, and recreational areas. Its multifunctional capabilities - sweeping, flail mowing, verticutting, and debris collection - make it an indispensable tool for maintaining pristine turf conditions.

KEY FEATURES:

Consistent Ground Following: The float-mounted cleaning head adapts excellently to ground unevenness, ensuring consistent performance across varied terrains.

High-Lift Dumping: The hydraulic high-lift dumping mechanism enables debris to be emptied at heights up to 2.1 metres, facilitating easy transfer into standard containers.

Tool-Free Conversion: Operators can easily switch between wind paddles, brushes, flail blades, and verticutting knives without the need for tools, minimising downtime and enhancing productivity.

Large Capacity: The 2.5 m³ hopper allows for extended operation periods, reducing the frequency of unloading.

Multi-Purpose Head: Suitable for verticutting, flail-type mowing, and debris collection.

Standard Build Inclusions:

- 1230026 Floating Axle with 4 Tyres (18x8.50) without Brakes
- 1231330 Low Hitch with Rotating Head with PTO Above

Model No.	Overall Width	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
2700047	2m	1.6m (5'2")	1000kg	35	AU\$59,588	AU\$65,546



Photos may contain optional extras. Prices and specifications may change without notice.

SUPER 500 WITH MULTIPURPOSE HEAD CONTINUED...**Optional Extras**

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
1230015	Rigid Axle – 2 × 23×10.50-12 Tyres, Without Brake (Not Compatible with Super Contour Kit)	AU\$3,481	AU\$3,829
1230018	High Mount Hitch Above PTO Shaft Stub	AU\$1,265	AU\$1,391
1230037	Hydraulic Line Set – Direct Tractor Operation (See Valve Requirements)	AU\$365	AU\$401
1230090	Electro-Hydraulic Operation with Filling-Level Sensor (1 Double-Acting Unit Required)	AU\$3,383	AU\$3,721
1230056	Mechanical Serial Connection with Adjustable Boom (1 Double-Acting Hydraulic Required)	AU\$469	AU\$516
1230008	Flail Blade Set for Cutting or Collecting Clippings and Leaves	AU\$1,922	AU\$2,114
1230009	Verticutting Blade Set – 19 mm Spacing for Turf Regeneration	AU\$2,706	AU\$2,977
1230012	Dura Verticutting Blade Set – 19 mm Spacing for Turf Regeneration on Heavy Thatch	AU\$3,912	AU\$4,304
1230028	Lighting Kit	AU\$1,294	AU\$1,424
1230089	Filling-Level Indicator Sensors (Through-Beam Type)	AU\$1,422	AU\$1,564
1230078	Filling-Level Indicator for Direct Hydraulics or Serial Connection (Retrofit Compatible)	AU\$2,039	AU\$2,243
1231230	Front Rake Attachment	AU\$1,559	AU\$1,715
1230670	Lateral Anti-Scalp Rollers	AU\$1,020	AU\$1,122
1230550	Golf Course Kit for Multi-Purpose Head with Height-Adjustable Front Depth-Control Roller (Incl. 1230670)	AU\$3,334	AU\$3,667
1231200	Super Contour Kit – Rear Depth-Control Roller for Multi-Purpose Head	AU\$5,775	AU\$6,353
1230940	Core Crusher Kit	AU\$1,088	AU\$1,197
2709600	Additional Year Warranty Extension (24 Months Total)	AU\$1,520	AU\$1,672



Photos may contain optional extras. Prices and specifications may change without notice.

WIEDENMANN SUPER 600



The Wiedenmann SUPER 600 is a compact, robust, and high-performance turf maintenance machine, purpose-built for intensive year-round use across golf courses, sports fields, parks, and municipal grounds. Its multifunctional capabilities – turf sweeping, flail mowing, verticutting, and grass and leaf collection – make it an indispensable solution for maintaining pristine turf conditions.

KEY FEATURES:

Consistent Ground Following: The parallelogram-guided sweeper head ensures tools stay in the optimal working position, providing consistent turf care even across uneven surfaces.

Hydraulic High-Lift Dumping: Continuously variable hydraulic high dumping up to approximately 2.1 metres enables effortless transfer of collected material into standard containers, maximising operational efficiency.

Large Capacity Hopper: With a 4.5 m³ hopper, the SUPER 600 allows for longer operating times between unloads, supporting high productivity across large areas.

Tool Versatility: The multi-sweeper head can be flexibly equipped with air paddles, flail blades, or scarifier blades, allowing seamless transitions between sweeping, flail mowing, and verticutting tasks.

Operator Comfort and Efficiency: Electromagnetic remote control provides simple, convenient operation of all hydraulic functions from the driver's seat, while integrated dust management ensures a cleaner, quieter working environment.

Standard Build Inclusions:

- **1231330** Low Hitch with Rotating Head Above PTO Stub
- **1230091** Electro-Hydraulic Control with Filling-Level Sensor
- **1231958** Set DURA Verticutting Blade 38mm
- **1231506** Golf Course Kit



Model No.	Overall Width	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
2750047	2.1m	1.6m (5'2")	1410kg	50	AU\$93,470	AU\$102,817

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
1230018	High Mount Hitch Above PTO Shaft Stub	AU\$1,265	AU\$1,391
1232291	Hydraulic Line Set – Direct Tractor Operation (See Valve Requirements)	AU\$365	AU\$401
1230670	Lateral Anti-Scalp Rollers	AU\$1,020	AU\$1,122
1231507	Super Contour Kit – Rear Depth-Control Roller for Multi-Purpose Head	AU\$5,795	AU\$6,374
1231504	Core Crusher Kit	AU\$1,167	AU\$1,284
1231535	Lighting Kit	AU\$1,549	AU\$1,704
1230154	Filling-Level Indicator Sensors (Through-Beam Type)	AU\$1,422	AU\$1,564
1230078	Filling-Level Indicator for Direct Hydraulics or Serial Connection (Retrofit Compatible)	AU\$2,039	AU\$2,243
1231230	Front Rake	AU\$1,559	AU\$1,715
1230091	Electro-Hydraulic Operation with Filling-Level Sensor (1 Double-Acting Unit Required)	AU\$3,902	AU\$4,293
1230008	Flail Blade Set for Cutting or Collecting Clippings and Leaves	AU\$1,922	AU\$2,114
1231954	Verticutting Blade Set – 19 mm Spacing for Turf Regeneration	AU\$3,187	AU\$3,505

WIEDENMANN TERRA SLIT 160



The Wiedenmann Terra Slit 160 is a powerful and versatile deep-aeration machine, purpose-built for professional turf care on golf courses, sports fields, and other high-performance turf areas. Designed to break up soil compaction and improve root development, it ensures healthy, resilient playing surfaces year-round.

KEY FEATURES:

Deep Aeration Performance: Capable of penetrating to depths of up to 20 cm, the Terra Slit effectively eliminates soil compaction, encouraging deeper root growth and improved absorption of water and nutrients.

Knife and Tine Versatility: Depending on soil conditions, the machine can be equipped with low- or high-lift knives for tailored aeration. For fine slitting up to 15 cm, specialised slitting knives are available, while hollow tines allow for dethatching and aerating up to 8 cm.

Customisable Row Spacing: The distance between tine rows can be set at 7.5cm or 15 cm, offering flexibility to meet varying turf care requirements.

High Output Efficiency: With hollow tines fitted, the Terra Slit produces up to 80 holes per square metre in a single pass, making it an ideal solution for quick and effective dethatching or surface aeration.

Weight Adjustment Options: The integrated ballast frame can be loaded with additional weights for highly compacted soils. An optional hydraulic weight transfer system (suitable for 3-point Cat. I) is available for enhanced performance.

Tractor Compatibility: The Terra Slit mounts easily to the rear 3-point linkage (Cat. I/II) and is also available in a trailed version for added flexibility.



Model No.	Overall Width	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
4990040	1.96m	1.6m (5'2")	260kg	30	AU\$10,766	AU\$11,843

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
1202847	Low-heave knives (200 mm): 76 required at 75 mm spacing or 40 required at 150 mm spacing	AU\$92 _{p.knife}	AU\$101 _{p.knife}
1202848	High-heave knives (200 mm): 76 required at 75 mm spacing or 40 required at 150 mm spacing	AU\$90 _{p.knife}	AU\$99 _{p.knife}
1202849	Fine slitting knives (200 mm): 76 required at 75 mm spacing or 40 required at 150 mm spacing	AU\$90 _{p.knife}	AU\$99 _{p.knife}
1236579	Disc set for mounting coring tines or slitting knives: 1 set for 150 mm spacing or 2 sets for 75 mm spacing	AU\$2,177	AU\$2,394
1236640	Coring tines Ø25 mm (160 pcs.): approx. 80 holes/m ² , 1 set for 150 mm spacing or 2 sets for 75 mm spacing	AU\$5,462	AU\$6,008
1236650	Slitting knives 130 mm (80 pcs.): 1 set for 150 mm spacing or 2 sets for 75 mm spacing	AU\$4,422	AU\$4,864
1236660	Triangular fine slitting knives 80 mm, sharpened (80 pcs.): 1 set for 150 mm spacing or 2 sets for 75 mm spacing	AU\$3,147	AU\$3,462
1206910	Bogey Wheel Set	AU\$8,727	AU\$9,599
1222980	Ballast weight, approx. 48 kg (maximum 3 units)	AU\$1,255	AU\$1,381
1232709	Rear Roller	AU\$2,834	AU\$3,117
1206793	Overseeder	AU\$15,090	AU\$16,599
1201334	Spring Tines for Overseeder	AU\$1,814	AU\$1,995
1232679	Mounting Parts for Overseeder	AU\$932	AU\$1,025
1236520	Hydraulic Weight Transfer System – Unpressurized Return Line Required	AU\$2,814	AU\$3,096
1206640	Additional Heaving Rotor – Includes Flanged Bearings	AU\$4,334	AU\$4,767
4999600	Additional Year Warranty Extension (24 Months Total)	AU\$624	AU\$686

Photos may contain optional extras. Prices and specifications may change without notice.

WIEDENMANN TERRA SPIKE SL6



The Wiedenmann TERRA SPIKE® SL6 is a compact, high-performance deep aeration machine, purpose-built for golf greens, tees, and sand-based sports fields. Designed to remove soil compaction up to 21cm depth, it provides precise, high-quality turf care while maintaining smooth gameplay.

KEY FEATURES:

Deep Aeration Efficiency: The Terra Spike SL6 penetrates soil to a depth of 21 cm, alleviating compaction and promoting healthy root growth, improved water infiltration, and better nutrient absorption.

Compact and High-Coverage Design: Lightweight and easily mounted on tractors from 25HP, the machine offers excellent area coverage without compromising work quality. At 55 mm hole spacing, it achieves up to 2,240 m²/h at a maximum speed of 1.6 km/h.

Quick and Precise Adjustments: The central tool-free adjustment system, combined with an adjustment crank and QuickFit mechanism, allows rapid and accurate setting of working depth and loosening angle.

Exchangeable Tine Holders: Tool heads can be swapped quickly and easily with a single screw, enabling fast transitions between applications for spiking, aeration, and dethatching.

Operator Safety and Comfort: Equipped with a rear roller and Vibra-Stop, the machine minimises vibration and protects the operator during use, enhancing comfort during long operating periods.

Standard Build Inclusions:

- **Drive Type (must select one)**
 - 1237022 Drive 280 RPM
 - 1237023 Drive 360 RPM
 - 1237024 Drive 485 RPM
- 1500120 Set of 12 Solid Tines 12 mm x 200 mm



Model No.	Overall Width	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
8700040	1.16m	1.4m (4'6")	470kg	25	AU\$51,938	AU\$57,131

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
1237680	Set of Turf Retainers for 4 Tines/Tine Holder (55 mm)	AU\$782	AU\$861
1237026	Core Swath Board	AU\$1,128	AU\$1,240
1237975	Nail Board for 5 x 135 mm / 8 x 150 mm Needle Tines (6 Required)	AU\$351	AU\$386
1237970	Multi-Tine Holder for 6 Tines – 12 mm Mounting Diameter (6 Required; Max Working Depth 200 mm; Use Only with 280 or 360 rpm Drive)	AU\$543	AU\$598
1237973	Multi-Tine Holder for 8 Tines – 8 mm Mounting Diameter (6 Required)	AU\$543	AU\$598
1237950	Slitting knives 130 mm (80 pcs.): 1 set for 150 mm spacing or 2 sets for 75 mm spacing	AU\$4,422	AU\$4,864
1236660	Tine Holder for 4 x 12 mm Tines – 1 Set Included with Base Machine	AU\$194	AU\$214
1237960	Tine Holder for Top-Eject Tines (6 Required)	AU\$471	AU\$518
1237920	Lower Link Extension	AU\$680	AU\$749
1196890	Soil Probe – 1000 mm Length	AU\$124	AU\$136
1196895	Soil Probe – 650 mm Length	AU\$100	AU\$110
8709001	Buffer Kit (Replace After 3 Years/100 Operating Hours)	AU\$1,373	AU\$1,510
8709600	Additional Year Warranty Extension (24 Months Total)	AU\$1,696	AU\$1,866

WIEDENMANN

TERRA SPIKE GXI 6 HD



The Wiedenmann TERRA SPIKE® GXi 6 is a high-performance deep-aeration machine, purpose-designed for professional turf care on golf greens, tees, sandy sports fields, and other fine turf areas. Built to remove compaction quickly and efficiently, it promotes healthier root systems, improved soil structure, and resilient playing surfaces all year round.

KEY FEATURES:

Deep Aeration Performance: Penetrates to depths of up to 25 cm, eliminating soil compaction and enabling roots to grow deeper for better water and nutrient uptake. Regular deep spiking improves water flow, reduces thatch, and enhances turf stability.

Fast, Productive Operation: At a working speed of 3.2 km/h with 110 mm square hole spacing, the GXi 6 can cover up to 4,350 m² per hour — saving up to 60% of the time normally spent on aeration tasks.

Low-Stress Design: Two exclusive damping systems — VibraStop and PowerPack — minimise vibration and operator fatigue, ensuring smooth operation and reduced wear on the tractor.


Quick, Tool-Free Adjustments: The QuickSet system allows rapid, tool-free changes to working depth and tine entry angle. With an adjustment range from 90° to 65°, loosening intensity can be matched precisely to soil conditions.

Rapid Tine Changes: The QuickFit system makes tine replacement straightforward and fast, eliminating the downtime of conventional systems.

Compact, Versatile Mounting: Designed for tractors from 18 kW (25 HP) upwards, the compact mounting provides excellent manoeuvrability and coverage even on fine turf areas.

Standard Build Inclusions:

- *Drive Type (must select one)*
 - 1222022 Drive 385 RPM
 - 1222023 Drive 485 RPM
- 1222305 Set of Narrow Turf Retainers
- 1500120 Set of 24 Solid Tines 12 mm x 200 mm



Model No.	Overall Width	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
4220040	1.82m	1.4m (4'6")	590kg	25	AU\$62,851	AU\$69,136

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
1221765	Solid Rear Roller	AU\$3,069	AU\$3,376
1222027	Three-Part Rear Roller	AU\$4,608	AU\$5,069
1222304	Set of Wide Turf Retainers	AU\$665	AU\$731
1222910	Multi-Tine Holders – Needle Tines 135 mm / 160 mm (6 Required)	AU\$351	AU\$386
1223360	Multi-Tine Holder for 8 Micro-Coring Tines – 8 mm Mounting Diameter (6 Required)	AU\$496	AU\$546
1221926	Core Swath Board	AU\$3,618	AU\$3,980
1222014	Lower Link Extension	AU\$663	AU\$729
1222980	Ballast Weights (Approx. 45 kg)	AU\$1,235	AU\$1,359
1196890	Soil Probe – 1000 mm Length	AU\$124	AU\$136
1196895	Soil Probe – 650 mm Length	AU\$100	AU\$110
4229001	Buffer Kit (Replace After 3 Years/100 Operating Hours)	AU\$506	AU\$557
4229002	Tension Spring Kit (Replace After 3 Years/200 Operating Hours)	AU\$1,147	AU\$1,262
4229600	Additional Year Warranty Extension (24 Months Total)	AU\$2,177	AU\$2,394

WIEDENMANN TERRA SPIKE GXI 8 HD



The Wiedenmann TERRA SPIKE® GXI 8 HD is a powerful and highly productive deep-aeration machine, purpose-built for professional turf care on golf greens, tees, sandy sports fields, and other fine turf areas. Designed to remove compaction quickly and efficiently, it promotes healthier root growth, improved soil structure, and superior playing surfaces all year round.

KEY FEATURES:

Deep Aeration Performance: Penetrates to depths of up to 25 cm, eliminating soil compaction and enabling roots to grow deeper for enhanced water and nutrient uptake. Regular deep spiking improves drainage, reduces thatch, and increases turf stability and resilience.

High Output Efficiency: With a working speed of 3.2 km/h at 110 mm square hole spacing, the GXI 8 HD covers up to 5,600 m² per hour — reducing aeration time by up to 60% compared with conventional systems.

Low-Stress Design: Exclusive VibraStop and PowerPack damping systems minimise vibration, reducing operator fatigue and wear on the tractor for smooth, quiet operation.

Quick, Tool-Free Adjustments: The QuickSet system allows rapid, tool-free changes to working depth and tine entry angle. With an adjustment range from 90° to 65°, loosening intensity can be precisely matched to soil conditions.

Rapid Tine Changes: The QuickFit system makes tine replacement simple and fast, reducing downtime and boosting productivity.

Robust, Versatile Mounting: Designed for tractors from 26 kW (35 HP) upwards, the compact mounting ensures excellent manoeuvrability and large area coverage. PTO drive 540 RPM as standard.

Standard Build Inclusions:

- *Drive Type (must select one)*
 - 1222022 Drive 385 RPM
 - 1222023 Drive 485 RPM
- 1222705 Set of Narrow Turf Retainers
- 1500120 Set of 32 Solid Tines 12 mm x 200 mm



Model No.	Overall Width	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
4230040	2.27 m	1.8m (5'9")	900kg	35	AU\$84,109	AU\$95,520

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
1222704	Set of Wide Turf Retainers	AU\$882	AU\$971
1222910	Multi-Tine Holders for Needle Tines – 5 × 135 mm / 8 × 160 mm (8 Required)	AU\$351	AU\$386
1223355	Multi-Tine Holder for 6 Tines – 12 mm Mounting Diameter (8 Required; Max Tine Diameter 12 mm)	AU\$496	AU\$546
1223360	Multi-Tine Holder for 8 Micro-Coring Tines – 8 mm Mounting Diameter (8 Required)	AU\$496	AU\$546
1222526	Core Swath Board	AU\$3,128	AU\$3,441
1222014	Lower Link Extension	AU\$663	AU\$729
1222980	Ballast Weights (Approx. 45 kg)	AU\$1,235	AU\$1,359
1196890	Soil Probe – 1000 mm Length	AU\$124	AU\$136
1196895	Soil Probe – 650 mm Length	AU\$100	AU\$110
4239001	Buffer Kit (Replace After 3 Years/100 Operating Hours)	AU\$590	AU\$649
4239002	Tension Spring Kit (Replace After 3 Years/200 Operating Hours)	AU\$1,530	AU\$1,683
4239600	Additional Year Warranty Extension (24 Months Total)	AU\$2,579	AU\$2,837

WIEDENMANN

TERRA SPIKE XF 6



The Wiedenmann TERRA SPIKE® XF 6 is a high-speed, professional deep-aeration machine, purpose-built for golf courses, sports fields, and other fine turf areas. Designed to break up soil compaction efficiently, it promotes deeper root growth, improves soil structure, and ensures resilient, high-quality playing surfaces.

KEY FEATURES:

Deep Aeration Performance: Capable of penetrating to depths of up to 22 cm, the Terra Spike XF 6 effectively removes compaction, allowing roots to grow deeper and make better use of water and nutrients. Regular deep aeration improves drainage, enhances soil aeration, reduces thatch, and strengthens turf stability.

High-Speed, High Productivity: Operating at speeds of up to 6 km/h and with 130 mm square hole spacing, the XF 6 covers up to 6,000 m² per hour, saving up to 60% of the time compared with conventional deep aeration machines.

Smooth, Low-Stress Operation: Equipped with VibraStop and PowerPack, the XF 6 ensures smooth running, reducing vibration and operator fatigue for comfortable, stress-free operation.

Tool-Free Adjustments: The QuickSet system allows rapid, tool-free adjustment of working depth and tine loosening angle, with a wide range from 90° to 65° to optimise aeration intensity based on soil conditions.

Efficient Tine Management: The QuickFit system enables fast, simple tine mounting and removal, minimising downtime and boosting efficiency.

Encapsulated TwinDrive Propulsion: The TwinDrive transmission can be configured with different gear ratios to match tractor power, ensuring optimum performance and reliability.

Standard Build Inclusions:

- *Drive Type (must select one)*
 - 1203024 Drive 345 RPM
 - 1203025 Drive 410 RPM
 - 1203021 Drive 485 RPM
- 1212019 Hydraulic Depth Adjustment
- 1203376 Set of Narrow Turf Retainers
- 1500120 Set of 24 Solid Tines 12mm x 200mm



Model No.	Overall Width	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
8600045	2.15 m	1.6m (5'2")	1070kg	40	AU\$100,107	AU\$110,117

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
1203375	Set of Wide Turf Retainers	AU\$712	AU\$783
1203800	Multi-Tine Holders for Needle Tines – 5 mm & 8 mm, for 8/12 Tines (6 Required)	AU\$351	AU\$386
1203019	Hydraulic Rotary Brush	AU\$12,462	AU\$13,709
1191888	Core Swath Board	AU\$2,951	AU\$3,247
1204980	Lower Link Extension – CAT I & II	AU\$892	AU\$982
1196890	Soil Probe – 1000 mm Length	AU\$124	AU\$136
1196895	Soil Probe – 650 mm Length	AU\$100	AU\$110
8609001	Buffer Kit (Replace After 3 Years/100 Operating Hours)	AU\$475	AU\$522
8609002	Tension Spring Kit (Replace After 3 Years/200 Operating Hours)	AU\$1,108	AU\$1,219
8609600	Additional Year Warranty Extension (24 Months Total)	AU\$3,147	AU\$3,462

WIEDENMANN TERRA SPIKE XF 8



The Wiedenmann TERRA SPIKE® XF 8 is a top-performing deep-aeration machine, purpose-built for golf courses, sports fields, and other high-quality turf areas. Known as the “king of deep aerators,” it delivers exceptional productivity and smooth operation, ensuring healthier turf and superior playing conditions while saving valuable time.

KEY FEATURES:

Deep Aeration Performance: Penetrates to depths of up to 22 cm, effectively removing compaction and enabling roots to grow deeper for improved nutrient and water uptake. Regular aeration enhances soil structure, reduces thatch, and strengthens turf stability.

Unrivalled Productivity: With a working speed of up to 6 km/h and 130 mm square hole spacing, the XF 8 achieves an impressive coverage of 7,900 m² per hour — cutting maintenance time by up to 60% compared with traditional aeration methods.

Smooth, Stress-Free Operation: Equipped with VibraStop and PowerPack, the XF 8 runs with unique smoothness, reducing vibration, operator fatigue, and tractor strain.

Easy, Tool-Free Adjustments: The QuickSet system allows fast, tool-free adjustment of both working depth (up to 22 cm) and tine loosening angle (adjustable from 90° to 65°), making it easy to adapt aeration intensity to soil conditions.

Rapid Tine Changes: The QuickFit system enables quick and simple tine replacement, reducing downtime and maximising efficiency.

Advanced Drive Technology: The encapsulated TwinDrive propulsion system offers configurable gear ratios, ensuring optimum crankshaft speed for different tractor power levels.

Standard Build Inclusions:

- *Drive Type (must select one)*
 - 1203024 Drive 345 RPM
 - 1203025 Drive 410 RPM
 - 1203021 Drive 485 RPM
- 1212019 Hydraulic Depth Adjustment
- 1203876 Set of Narrow Turf Retainers
- 1500120 Set of 32 Solid Tines 12mm x 200mm



Model No.	Overall Width	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
8610045	2.64 m	2.1m (6'9")	1275kg	60	AU\$119,482	AU\$131,430

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
1203875	Set of Wide Turf Retainers	AU\$932	AU\$1,025
1203800	Multi-Tine Holders for Needle Tines – 5 mm & 8 mm, for 8/12 Tines (8 Required)	AU\$351	AU\$386
1191879	Core Swath Board	AU\$3,853	AU\$4,239
1204980	Lower Link Extension – CAT I & II	AU\$892	AU\$982
1196890	Soil Probe – 1000 mm Length	AU\$124	AU\$136
1196895	Soil Probe – 650 mm Length	AU\$100	AU\$110
8619001	Buffer Kit (Replace After 3 Years/100 Operating Hours)	AU\$547	AU\$602
8619002	Tension Spring Kit (Replace After 3 Years/200 Operating Hours)	AU\$1,471	AU\$1,618
8619600	Additional Year Warranty Extension (24 Months Total)	AU\$3,746	AU\$4,120

WIEDENMANN TERRA SPIKE XD 6



The Wiedenmann TERRA SPIKE® XD 6 is a high-performance deep-aeration machine, purpose-built for professional turf care on golf courses, sports fields, and other demanding turf environments. Engineered to break up soil compaction and promote deeper root growth, it ensures healthier, stronger playing surfaces with minimal disruption to play.

KEY FEATURES:

Deep Aeration Performance: Capable of loosening and aerating turf to depths of up to 27.5 cm, the XD 6 enhances water infiltration, nutrient uptake, and root development for long-term turf resilience.

Unique Vibration Damping: Equipped with VibraStop and PowerPack systems, the XD 6 delivers exceptionally smooth operation, reducing stress on both the machine and the operator.

Fast, Efficient Output: With a working speed of up to 5 km/h and an area coverage of up to 5,000 m² per hour (at 130 mm square hole spacing), the XD 6 provides superior productivity while keeping downtime to a minimum.

Simple, Tool-Free Adjustments: Working depth can be set quickly and without tools via a hand crank. For maximum convenience, an optional hydraulic depth control allows operators to adjust settings directly from the tractor cab—even during operation.

Advanced Technology: The XD 6 comes standard with VibraStop, PowerPack, TwinDrive, QuickSet, and QuickFit, giving turf professionals a powerful combination of precision, flexibility, and ease of use.

Standard Build Inclusions:

- *Drive Type (must select one)*
 - 1203024 Drive 345 RPM
 - 1203025 Drive 410 RPM
- 1212019 Hydraulic Depth Adjustment
- 1203376 Set of Narrow Turf Retainers
- 1500120 Set of 24 Solid Tines 12mm x 200mm



Model No.	Overall Width	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
8640045	2.15 m	1.6m (5'2")	1125kg	40	AU\$100,107	AU\$110,117

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
1203375	Set of Wide Turf Retainers	AU\$712	AU\$783
1203800	Multi-Tine Holders for Needle Tines – 5 mm & 8 mm, for 8/12 Tines (6 Required)	AU\$351	AU\$386
1191888	Core Swath Board	AU\$2,951	AU\$3,247
1212019	Hydraulic Depth Adjustment	AU\$4,756	AU\$5,231
1203019	Hydraulic Rotary Brush	AU\$12,462	AU\$13,709
1204980	Lower Link Extension – CAT I & II	AU\$892	AU\$982
1196890	Soil Probe – 1000 mm Length	AU\$124	AU\$136
1196895	Soil Probe – 650 mm Length	AU\$100	AU\$110
8609001	Buffer Kit (Replace After 3 Years/100 Operating Hours)	AU\$475	AU\$522
8649002	Tension Spring Kit (Replace After 3 Years/200 Operating Hours)	AU\$1,147	AU\$1,262
8649600	Additional Year Warranty Extension (24 Months Total)	AU\$3,285	AU\$3,613

WIEDENMANN TERRA SPIKE XD 8



The Wiedenmann TERRA SPIKE® XD 8 is a powerful and efficient deep-aeration machine, purpose-built for professional turf care on golf courses, sports fields, and other high-performance turf environments. Designed to relieve compaction and enhance root development, it delivers healthier, highly resilient playing surfaces with minimal downtime.

KEY FEATURES:

Deep Aeration Performance: Penetrates soil to depths of up to 27.5 cm, breaking up compaction to improve water infiltration, nutrient uptake, and long-term turf health.

Unique Vibration Damping: Fitted with VibraStop and PowerPack systems, the XD 8 ensures exceptionally smooth operation, reducing vibration and wear for operator comfort and machine longevity.

High Output Efficiency: With a working speed of up to 5 km/h and an area coverage capacity of 6,700 m² per hour (at 130 mm square hole spacing), the XD 8 delivers outstanding productivity across large turf areas.

Quick, Tool-Free Adjustments: Working depth can be set easily and without tools via a hand crank. For added convenience, optional hydraulic adjustment allows operators to control depth directly from the tractor cab—even during operation.

Advanced Technology: Standard features include VibraStop, PowerPack, TwinDrive, QuickSet, and QuickFit, giving operators precise control, reliable performance, and time-saving versatility.

Standard Build Inclusions:

- *Drive Type (must select one)*
 - 1203024 Drive 345 RPM
 - 1203025 Drive 410 RPM
- 1212019 Hydraulic Depth Adjustment
- 1203876 Set of Narrow Turf Retainers
- 1500120 Set of 32 Solid Tines 12mm x 200mm



Model No.	Overall Width	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
8630045	2.64 m	2.1m (6'9")	1345kg	60	AU\$119,482	AU\$131,430

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
1203875	Set of Wide Turf Retainers	AU\$932	AU\$1,025
1203800	Multi-Tine Holders for Needle Tines – 5 mm & 8 mm, for 8/12 Tines (6 Required)	AU\$351	AU\$386
1191879	Core Swath Board	AU\$3,853	AU\$4,239
1204980	Lower Link Extension – CAT I & II	AU\$892	AU\$982
1196890	Soil Probe – 1000 mm Length	AU\$124	AU\$136
1196895	Soil Probe – 650 mm Length	AU\$100	AU\$110
8609001	Buffer Kit (Replace After 3 Years/100 Operating Hours)	AU\$547	AU\$602
8639002	Tension Spring Kit (Replace After 3 Years/200 Operating Hours)	AU\$1,530	AU\$1,683
8649600	Additional Year Warranty Extension (24 Months Total)	AU\$3,285	AU\$3,613

WIEDENMANN WHISPER TWISTER

The Wiedenmann WHISPER TWISTER is a highly efficient and low-noise leaf blower, designed for professional use on golf courses, sports fields, parks, and municipal surfaces. With its innovative whisper turbine and patented swivel system, it delivers exceptional performance while maintaining quiet operation in sensitive environments.

KEY FEATURES:

Low-Noise Whisper Turbine: Specially designed for operation in public areas and residential environments, the whisper turbine ensures powerful airflow with reduced noise levels.

Patented 180° Swivel Mechanism: The unique, continuously variable 180° swivel system—operated via a single hydraulic cylinder or electric spindle—allows the blower to redirect airflow seamlessly, keeping leaves and debris moving in the same direction without reversing or time-consuming manoeuvres.

Efficient All-Around Operation: Capable of sweeping left to right without turning the tractor, the WHISPER TWISTER maximises productivity and reduces wear on turf and machinery.

Adjustable Airflow Control: A vertically adjustable air nozzle enables operators to tailor the airflow to site conditions, ensuring optimal results on all surfaces.

Ground-Hugging Adaptability: A large support wheel provides consistent ground contact and effective operation, even on uneven terrain.

High Air Performance: Delivers an air volume of approximately 200 m³/min at a speed of around 50 m/sec, making it a reliable solution for clearing large turf and municipal areas quickly and efficiently.

Standard Build Inclusions:

- *Drive Type (must select one)*
 - 460121 Drive 1000 RPM (right), 460122 Drive 1000 RPM (left)
 - 460123 Drive 2000 RPM (right), 460124 Drive 2000 RPM (left)
- 460025 Straight Blow-Out Nozzle



Model No.	Overall Width	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
46030040	0.9m	N/A	200kg	25	AU\$17,365	AU\$19,101

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
46018	Hydraulic Adjustment of Turbine Vertical Position †	AU\$1,402	AU\$1,542
46038	Electric Spindle for Horizontal Turbine Swivelling ↔	AU\$2,206	AU\$2,427
1205939	Drop-Down Nozzle	AU\$720	AU\$792
1208500	Reverse Nozzle	AU\$1,157	AU\$1,273
46029600	Additional Year Warranty Extension (24 Months Total)	AU\$488	AU\$537



Photos may contain optional extras. Prices and specifications may change without notice.

WIEDENMANN TERRA SEED

The Wiedenmann Terra Seed is a highly efficient turf overseeding system, designed to deliver uniform seed placement and optimal soil contact for reliable germination. Built for professional use on golf courses, sports fields, and other fine turf areas, it ensures even, stripe-free distribution and consistent results across a wide range of turf conditions.

KEY FEATURES:

Precision Seed Placement: Special spring tines open the turf surface to create ideal seed grooves, ensuring accurate placement and effective soil preparation.

Uniform Distribution: An integrated agitator shaft inside the galvanised seed container ensures a consistent, stripe-free seed flow, powered via chain drive from the low-pressure tyres.

Seed Protection: With only 14cm between the seed discharge opening and the turf, the risk of wind dispersal is minimised, guaranteeing more seeds reach their target.

Efficient Soil Contact: A parallelogram-guided seed brush returns the seed directly into the tine grooves, while the trailed seed roller presses the seed firmly into the soil, ensuring the intensive contact necessary for rapid and healthy germination.

User-Friendly Calibration: The overseeding unit is equipped with a calibration trough and turning crank, enabling quick adjustment of discharge volume or easy switching between seed types.

Capacity and Depth: Features a generous 140 L seed container and a working depth of up to 5 mm, delivering reliable performance over large turf areas.

Standard Build Inclusions:

- 1213189 Set of Support Wheels



Model No.	Overall Width	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
4970040	1.8 m	1.6m (5'2")	215kg	15	AU\$20,081	AU\$22,089

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
4979600	Additional Year Warranty Extension (24 Months Total)	AU\$592	AU\$651



Photos may contain optional extras. Prices and specifications may change without notice.

WIEDENMANN TERRA FLOAT AIR

The Wiedenmann TERRA FLOAT AIR is a multi-functional turf maintenance machine designed for golf greens, tees, and sports grounds. Purpose-built for professionals with the highest standards, it delivers exceptional performance in loosening surfaces, incorporating top-dress material, and overseeding. Its modular design and wide range of attachments make it one of the most versatile solutions for premium turf care.

KEY FEATURES:

Precision Overseeding: Equipped with a pneumatically supported overseeding unit with 8 outlets, the Terra Float Air ensures secure and uniform seed placement. A seed storage container of approx. 230 litres, combined with a driver-controlled calibration system, allows accurate metering and distribution of seed.

Smart Control System: The integrated control panel, speed sensor, and working-position sensor provide full oversight from the cab. Seed rates remain constant regardless of travel speed, and automatic shut-off prevents accidental seed dispersion when lifted.

Superior Ground Adaptation: A three-section perforation roller guarantees optimal ground contact and consistent working depth, even on undulating terrain. Infinitely variable spring tension settings allow operators to fine-tune depth control.

Versatile Turf Care Functions: Designed as a modular system, the Terra Float Air can be equipped with a variety of brushes, rollers, and perforation tools. This makes it ideal for loosening compacted surfaces, brushing in top-dress material, and preparing soil for seed-to-soil contact.

Professional Results: The combination of precision seed drilling, roller pressure, and protective turf retainers ensures seed-to-soil contact while preventing sod damage. The result is uniform germination, improved soil health, and resilient playing surfaces year-round.



Model No.	Overall Width	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
4940040	1.8 m	1.5m (4'9")	314 - 1000 kg	30	AU\$49,950	AU\$54,945



Photos may contain optional extras. Prices and specifications may change without notice.

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
1236572	Set of Spiked Sections with 5 × 65 mm Tines	AU\$4,746	AU\$5,220
1236577	Set of Spiked Sections with 8 × 65 mm Tines	AU\$6,295	AU\$6,924
1236529	Set of Star-Shaped Tools	AU\$7,491	AU\$8,240
1236559	Set of Cone-Shaped Tools	AU\$10,639	AU\$11,703
1232870	Dosing Roller for Fine Seeds (Pure Agrostis) – Without Seeding Aid	AU\$1,608	AU\$1,769
1232871	Dosing Roller for Pure Seeds and Mixtures – Up to 10 g/m ² , Single-Chamber Blue	AU\$1,206	AU\$1,327
1232872	Dosing Roller for Pure Seeds and Mixtures – Up to 25 g/m ² , Double-Chamber Blue	AU\$1,206	AU\$1,327
1232869	Dosing Roller for Fine Sports Turf Seed Mixtures – Over 25 g/m ² , Double-Chamber Red	AU\$1,206	AU\$1,327
1232868	Dosing Roller for Fine Sports Turf Seed Mixtures – Up to 25 g/m ² , Single-Chamber Red	AU\$1,206	AU\$1,327
1232867	Dosing Roller for Special Applications (Coated Seeds) – Double-Chamber Black	AU\$1,373	AU\$1,510
1206910	Bogey Wheels Complete Set – Not Compatible with Rear Roller	AU\$8,727	AU\$9,599
1232811	Set of Black Brushes (Semi-Hard) – 2 Required	AU\$716	AU\$787
1232876	Set of Yellow Brushes (Hard) – 2 Required	AU\$633	AU\$697
1202435	Load-Relieving Kit Complete – Reduces Load on Brush Rows	AU\$981	AU\$1,079
1222980	Ballast Weights – Approx. 48 kg (Max. 3 Units)	AU\$1,255	AU\$1,381
4949600	Additional Year Warranty Extension (24 Months Total)	AU\$1,275	AU\$1,402



Photos may contain optional extras. Prices and specifications may change without notice.

WIEDENMANN TERRA CORE M6

The Wiedenmann TERRA CORE M6 is a high-performance walk-behind aerator, purpose-built for golf greens, tees, and fine turf areas where precision matters most. Delivering powerful aeration without the need for large machinery, it combines efficiency, control, and ease of use — ideal for high-quality turf maintenance in confined or sensitive spaces.

KEY FEATURES:

Deep Aeration Performance: Penetrates up to 15 cm, relieving compaction and promoting deeper root growth for improved water and nutrient uptake.

Precision & Consistency: Intelligent two-wheel drive ensures accurate hole spacing and reliable performance, even on slopes, across a 132 cm working width.

Compact Productivity: Walk-behind design delivers strong output with excellent manoeuvrability — perfect for greens, tees, and tight-access areas.

Smooth Operation: Proportionally controlled steering and an integrated gauge roller maintain traction, control, and consistent working depth over uneven ground.

Quick Adjustments: Central depth adjustment and delay mode allow fast, precise setup and accurate start/stop positioning around obstacles.


Minimal Downtime: Replaceable tine holders enable quick, single-screw tine changes to keep you working efficiently.

Operator Comfort: Ergonomic one-handed operation and integrated storage improve ease of use and convenience on the job.

Optional Add-On Versatility: Available with trailing roller, windrow deflector, turf retainer, and lighting kit to suit a range of conditions and applications.



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
11040040	Walk-behind Aerator	1.3m	890kg	n/a	AU\$85,000	AU\$93,500



Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
1237950	4 x 12 mm tine holders (6 required in total)	AU\$250 <i>per holder</i>	AU\$275 <i>per holder</i>
1237960	4 x 19 mm tine holders (6 required in total)	AU\$590 <i>per holder</i>	AU\$649 <i>per holder</i>
1237970	6 x 12 mm tine holders (6 required in total)	AU\$650 <i>per holder</i>	AU\$715 <i>per holder</i>
1237973	8 x 8 mm tine holders (6 required in total)	AU\$680 <i>per holder</i>	AU\$748 <i>per holder</i>
1290068	Turf Retainer Set 6x6	AU\$1200	AU\$1,320
1290069	Turf Retainer Set 8x6	AU\$1400	AU\$1,540
12990077	Spring Loaded Roller	AU\$3,995	AU\$4,394
12990088	Core Swath Board	AU\$3,495	AU\$3,844
1290066	Lighting System	AU\$2,950	AU\$3,245
1290088	Set of Coring Tines	AU\$1,495	AU\$1,644
11049600	Additional Year Warranty Extension (24 Months Total)	AU\$3,285	AU\$3,613



WIEDENMANN TERRA CORE 8

The Wiedenmann TERRA CORE 8 is a high-performance aerator designed for golf greens, tees, and sand-based sports fields. Built for precision, efficiency, and operator comfort, it breaks up soil compaction, improves turf health, and delivers professional results with minimal maintenance.

KEY FEATURES:

Deep Aeration Performance: Capable of working to depths of up to 10 cm, the Terra Core 8 effectively relieves compaction, improving root development, water infiltration, and nutrient uptake.

Operator Comfort with Vibra-Stop: The unique Vibra-Stop system eliminates vibrations to the tractor and operator, reducing fatigue and ensuring smooth, stress-free operation.

Quick and Easy Adjustments: A simple adjustment crank allows precise working depth settings in 4 mm increments. Quick-change tine holders make it easy to swap tools for different applications, maximising flexibility.

Offset Gearbox Design: The lateral gearbox position enables offset mounting, allowing wider tractors to operate with one-sided track coverage for more efficient passes.

High Productivity, Low Maintenance: With excellent area coverage and minimal service requirements, the Terra Core 8 is built for demanding professional turf maintenance while keeping downtime to a minimum.



Model No.	Overall Width	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
11030080	2.1 m	1.95m (6'4")	710kg	30	AU\$50,438	AU\$55,482



Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
1299030	Tool Kit (Must select one): Tool support with 4x19 mm holders, open top, includes turf retainer set, 61 mm hole spacing	AU\$6,236	AU\$6,860
1299031	Tool Kit (Must select one): Tool support with 5x19 mm holders, open top, includes turf retainer set, 49 mm hole spacing	AU\$6,295	AU\$6,924
1299032	Tool Kit (Must select one): Tool support with 7x12 mm holders, clamping screw, includes turf retainer set, 35 mm hole spacing	AU\$6,364	AU\$7,000
1299033	Tool Kit (Must select one): Tool support with 5x12 mm holders, clamping screw, includes turf retainer set, 49 mm hole spacing	AU\$6,295	AU\$6,924
1299017	Spring-loaded Single-piece Rear Roller	<i>Upon Request</i>	<i>Upon Request</i>
1299018	Core Swath Board	<i>Upon Request</i>	<i>Upon Request</i>
1299007	Attachment kit Cat. I (already included in basic machine)	AU\$255	AU\$280
1299008	Attachment kit Cat. II	AU\$229	AU\$252
1299410	Tool support with 4 x 19 mm tool holder (8 pieces required)	AU\$579	AU\$636
1299420	Tool support with 5 x 19 mm tool holder (8 pieces required)	AU\$579	AU\$636
1299430	Tool support with 5 x 12 mm tool holder (8 pieces required)	AU\$579	AU\$636
1299435	Tool support with 7 x 12 mm tool holder (8 pieces required)	AU\$579	AU\$636
11039600	Additional Year Warranty Extension (24 Months Total)	<i>Upon Request</i>	<i>Upon Request</i>



WIEDENMANN

CORE RECYCLER WALK-BEHIND

The Wiedenmann CORE RECYCLER Walk-Behind is a unique and eco-efficient solution for golf greens and tees, designed to collect, separate, and recycle aeration cores. By reintroducing valuable sand and soil back into the turf while removing unwanted organic matter, it delivers significant cost savings, reduces material usage, and supports sustainable turf management.

KEY FEATURES:

Efficient Core Collection and Separation: A fully floating sweeping head lifts previously punched-out cores and transfers them to four rotating drum screens. Sand and soil are separated from organic debris, with up to 80% of the valuable substrate returned directly to the surface.

Cost and Resource Savings: By recycling the majority of sand and soil, the Core Recycler reduces the need for expensive top-dressing materials. This saves money while preserving beneficial microorganisms that support nutrient absorption, water retention, and turf resilience.

Improved Turf Health and Playability: Recycled substrate strengthens the turf's natural immune system, accelerates surface recovery, and reduces reliance on chemical inputs. The result is healthier, more sustainable playing surfaces that return to play more quickly after aerification.

Flexible Operation: The separating function can be disengaged using special inserts, allowing the machine to be used purely for core collection when required.

User-Friendly Design: Built as a walk-behind, hand-guided machine, the Core Recycler WB is powered by an internal combustion engine with a hydrostatic drive. Operating speeds are continuously adjustable from 0–6 km/h for maximum control.

High-Performance Output: The collection container with high-dump capability allows easy transfer of organic debris into trailers or utility vehicles, reducing downtime and streamlining clean-up operations.



Model No.	Overall Width	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
2910041	1.5m	1.2m (3'9")	650kg	N/A	AU\$77,177	AU\$84,895

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
2919600	Additional Year Warranty Extension (24 Months Total)	AU\$1,745	AU\$1,920



Photos may contain optional extras. Prices and specifications may change without notice.

WIEDENMANN TERRA RAKE



The Wiedenmann Terra Rake is a powerful verticutting harrow designed for the efficient maintenance of natural and artificial turf. Built with exceptional stability and durability, it tackles heavy-duty use with ease while ensuring high area coverage and reliable performance. By removing thatch, loosening infill, and improving soil exchange, it keeps turf surfaces healthy, resilient, and ready for play.

KEY FEATURES:

Effective Thatch Removal: At working speeds of up to 15 km/h, the parallelogram-guided verticutting tines vibrate aggressively to pull out thatch, leaves, and surface roots, quickly restoring soil permeability and gas exchange.

Precision Depth Control: Verticutting depth is easily and precisely adjusted with castor wheels, allowing operators to adapt to varying turf conditions without damaging the surface.

Optimised Tine Design: The special spring steel tines are arranged in four rows at 16 mm spacing, ensuring consistent coverage while maintaining sufficient clearance for obstruction-free operation.

Artificial Turf Compatibility: With the optional load-relieving kit, the Terra Rake is ideally suited for artificial turf. Adjustable tension springs reduce tine penetration, preventing surface damage while effectively loosening sand, rubber granules, or other infill.

Durable and Practical Construction: The two-part unit can be hydraulically lifted into transport position, while trailed versions use an electric spindle. Its rugged build ensures a long service life under continuous use.

Versatile Mounting Options: Designed for rear 3-point linkage (Cat. I and 0), the Terra Rake adapts easily to different tractors, offering flexibility across a wide range of turf maintenance tasks.



Model No.	Description	Overall Width	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
5210040	Terra Rake 170	1.75m	1.7m (5'6")	165kg	25	AU\$10,119	AU\$11,131
5220040	Terra Rake 230	2.35m	2.3m (7'6")	190kg	30	AU\$11,825	AU\$13,008

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
1254589	Lehner Airdos 110 Air Seeder with Attachments	AU\$11,119	AU\$12,231
1254429	Adapter Piece for Front Attachment	AU\$1,079	AU\$1,186
1254409	A-Frame Mounting Piece for Compact Tractors	AU\$941	AU\$1,035
1254363	Brush Frame for Terra Rake – 1.7m Working Width (Required for Initial Mounting of Brush Sets)	AU\$669	AU\$736
1254368	Black Brush Set (Medium-Hard) for Terra Rake 1.7m – Max. 2 per Unit	AU\$602	AU\$662
1254369	Yellow Brush Set (Hard) for Terra Rake 1.7m – Max. 2 per Unit	AU\$614	AU\$675
1254390	Finishing Brush for Terra Rake 1.7m	AU\$1,304	AU\$1,435
1254362	Brush Frame for Terra Rake – 2.3m Working Width (Required for Initial Mounting of Brush Sets)	AU\$763	AU\$839
1254366	Black Brush Set (Medium-Hard) for Terra Rake 2.3m – Max. 2 per Unit	AU\$753	AU\$828
1254367	Yellow Brush Set (Hard) for Terra Rake 2.3m – Max. 2 per Unit	AU\$769	AU\$846
1254370	Finishing Brush for Terra Rake 2.3m	AU\$1,530	AU\$1,683
1254501	Turf Roller for Terra Rake 2.3m	AU\$7,305	AU\$8,035
1202435	Load-Relieving Complete Kit – Reduces Tine Penetration on Artificial Turf	AU\$981	AU\$1,079
5219600	Terra Rake 170 - Additional Year Warranty Extension (24 Months Total)	AU\$333	AU\$367
5229600	Terra Rake 230 - Additional Year Warranty Extension (24 Months Total)	AU\$384	AU\$423

WIEDENMANN TERRA RAKE – FOLDING

The Wiedenmann TERRA RAKE – FOLDING is a high-performance verticutting harrow, engineered for heavy-duty, continuous use on natural and artificial turf. Designed to remove thatch, dead plant material, and surface roots efficiently, it ensures healthy, resilient playing surfaces while maintaining high area coverage. Its foldable design allows for wide working widths, offering flexibility and convenience for larger maintenance tasks.

KEY FEATURES:

Effective Thatch Removal: At travel speeds of 10 to 15 km/h, the parallelogram-guided scarifying tines vibrate aggressively to lift and remove thatch, placing it on the surface for easy collection.

Optimised Tine Arrangement: Four rows of tines ensure blockage-free scarification between individual tines, delivering consistent results across the entire working width.

Hydraulic Folding Mechanism: The two-part unit is easily moved from working to transport position via hydraulic cylinders, making it safe and simple to fold for transport or storage.

Wide Working Widths: Available in 3.50m and 4.60m working widths, the foldable design provides high coverage efficiency without sacrificing precision.

Durable Construction: Built for heavy-duty, continuous use, the Terra Rake – Folding combines rugged stability with long-lasting performance, ideal for professional turf maintenance.

Tractor Compatibility: Designed for rear 3-point linkage, it can be integrated easily with a range of tractors for flexible operation.



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
5230040	Terra Rake 350 - Folding	3.5m	560kg	40	AU\$22,807	AU\$25,088
5240040	Terra Rake 460 - Folding	4.6m	660kg	60	AU\$25,435	AU\$27,978

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
1202435	Load-Relieving Complete Kit – Reduces Tine Penetration (2 Required)	AU\$981	AU\$1,079
1254205	Lighting Kit	AU\$853	AU\$938
5239600	Terra Rake 350 - Additional Year Warranty Extension (24 Months Total)	AU\$786	AU\$865
5249600	Terra Rake 460 - Additional Year Warranty Extension (24 Months Total)	AU\$882	AU\$971



WIEDENMANN TERRA BRUSH

The Wiedenmann Terra Brush is a multifunctional turf maintenance machine, purpose-built for professional use on golf greens, tees, fairways, and sports fields. Designed to brush in sand, granules, and other top-dress materials, it also levels and pulverises cores, removes dew, and improves ball rollability, while reducing maintenance requirements for mowers.



KEY FEATURES:

Efficient Top-Dressing and Brushing: The Terra Brush ensures even distribution of sand, rubber granules, and other materials. Four rows of specialised brushes—two aligned perpendicular to the direction of travel and two in a zig-zag arrangement—guarantee uniform coverage both lengthwise and crosswise.

Flexible Working Width: The basic working width is 1.87m and can be extended to 3.80m using optional pendulous wing extensions, ensuring maximum area coverage even on undulating terrain. Wing extensions fold for compact transport to 2.34m (optional).

Durable and Interchangeable Bristles: Depending on turf requirements, soft or hard bristles can be fitted. Worn bristles can be evened out by reversing the mounting frame or drawbar, ensuring economical and uniform use.

Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
5080041	Terra Brush Base – Without Brushes, Includes Parking Stands	1.87m (6'2")	126kg	20	AU\$2,795	AU\$3,074

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
1226510	Set of Wing Extensions – Without Brushes, Increases Working Width to 3.8m	AU\$3,638	AU\$4,002
1226645	Rear 3-Point Hitch	AU\$1,794	AU\$1,974
1226501	Trailer with Hitch – 12V Electric Lifting, 2 Special Wheels 16x6.5	AU\$7,521	AU\$8,273
1226502	Trailer with Hitch – Hydraulic Lifting, 2 Special Wheels 16x6.5	AU\$5,393	AU\$5,932
1226507	Yellow Brushes for Fairways and Sports Grounds	AU\$2,432	AU\$2,675
1226503	Black Brushes for Greens, Tees, Fairways, and Sports Grounds	AU\$2,432	AU\$2,675
1226507	Yellow Brushes for Wing Extensions – Fairways and Sports Grounds	AU\$2,432	AU\$2,675
1226503	Black Brushes for Wing Extensions – Greens, Tees, Fairways, and Sports Grounds	AU\$2,432	AU\$2,675
1226665	Mounting Parts for CAT II	AU\$516	AU\$567
1226505	Anti-Scalp Rollers – 2 pcs (Recommended with Wing Extensions)	AU\$506	AU\$557
1226401	Hydraulic Fold-Up of Wing Attachments – For Trailer with Hydraulic Lifting (1226502)	AU\$4,177	AU\$4,595
1226402	Hydraulic Fold-Up of Wing Attachments – For 3-Point Hitch (1226506) or Trailer with Electric Lifting (1226501)	AU\$4,177	AU\$4,595
1249090	Magnetic Rail – Collects Dangerous Metal Objects (e.g., Hairpins)	AU\$3,069	AU\$3,376
5089600	Additional Year Warranty Extension (24 Months Total)	AU\$249	AU\$274
5089601	Additional Year Warranty Extension for Wing Attachments (24 Months Total)	AU\$145	AU\$160



Photos may contain optional extras. Prices and specifications may change without notice.

WIEDENMANN

TERRA V-CUT DURA-BLADES WITH CARBINE TIP

The Wiedenmann Terra V-Cut 150 and 200 are versatile, high-performance scarifiers, purpose-built for professional turf care on golf greens, tees, sports fields, and other high-quality turf areas. Designed to remove thatch, increase shear strength, and improve water permeability and gas exchange, they ensure healthy, resilient playing surfaces year-round.

KEY FEATURES:

Efficient Scarifying Performance: Equipped with permanently mounted, star-shaped blades, the Terra V-Cut machines make five cuts per revolution. Blades rotate in the direction of travel, cutting the turf first and then removing felt towards the rear. This forward rotation ensures a clean cut while reducing fuel consumption and minimising damage to turf and roots.

Adjustable Working Depth: The working depth can be continuously adjusted up to 40 mm without tools, using precision thread spindles, allowing for tailored scarification to suit varying turf conditions.

Flexible Working Widths: Available in 1.50m (V-Cut 150) and 2.00m (V-Cut 200) working widths, these machines combine flexibility with high area coverage for efficient operations.

Durable Blades: Dura Blade blades with carbide tips enhance longevity and performance, providing a robust solution for frequent professional use.

Contour-Following Capability: A rear wheel set (Undulation Kit) allows the machines to follow undulating terrain precisely, ensuring consistent scarification across uneven surfaces.

Low Maintenance & Energy Efficient: Both machines are designed for reliability, low maintenance, and lower fuel consumption due to their efficient cutting system, making them a cost-effective and environmentally friendly choice for professional turf managers.



Model No.	Description	Overall Width	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
2511150	Terra V-Cut 150	1.75m	1.5m (4'11")	245kg	20	AU\$26,455	AU\$29,100
2511200	Terra V-Cut 200	2.25m	2.0m (6'6")	353kg	25	AU\$31,357	AU\$34,493

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
1202435	Load-Relieving Complete Kit – Reduces Tine Penetration (2 Required)	AU\$981	AU\$1,079
1254205	Lighting Kit	AU\$853	AU\$938
5239600	Terra Rake V-Cut 150 - Additional Year Warranty Extension (24 Months Total)	AU\$786	AU\$865
5249600	Terra Rake V-Cut 200 - Additional Year Warranty Extension (24 Months Total)	AU\$882	AU\$971



WIEDENMANN FAVORIT XP



The Wiedenmann FAVORIT XP is a professional grass and leaf collector, engineered for maximum performance on golf courses, sports fields, and other high-quality turf areas. Designed to deliver high suction power while operating quietly, it ensures efficient collection even in noise-sensitive environments such as schools, hospitals, senior living facilities, and residential areas.

KEY FEATURES:

High-Powered Suction: Equipped with a low-noise, 6-blade turbine, the Favorit XP combines high suction power with minimal noise output. The conical-shaped turbine bearing housing optimises airflow, while the high torque of inertia allows large volumes of grass and leaves to be collected efficiently and compensates for load peaks.

Durable Construction: Massive, high-strength turbine blades provide excellent wear resistance, ensuring long service life. The hopper-integrated lifting arm and robust frame construction contribute to reliable, heavy-duty operation.

Hopper Capacity & Dumping: The Favorit XP features a 1,200 L or 1,500 L hopper with high-dump capability up to approximately 200 cm, making it ideal for rapid clearing and transfer of collected material. The large outlet grill prevents blockages and ensures smooth airflow.

User Safety & Control: Both the high dump and suction units are fitted with safety devices, including a mechanical flap lock, to prevent injuries during operation. Optional filling level indicators keep operators informed of hopper capacity.

Operational Efficiency: The compact and lightweight design mounts easily to a rear three-point hitch (Cat. I). Standard 16 x 7.50-8 air tires allow smooth movement across turf surfaces. The simple two-ply belt drive minimises belt bending cycles, enhancing durability and reducing maintenance.

Versatility & Ease of Use: Ideal for collecting large volumes of cuttings, the Favorit XP handles diverse tasks while maintaining low noise levels, making it perfect for professional turf maintenance in both public and private areas.



Standard Build Inclusions:

- 1220120 Rear Door 1500 Liter
- 1057675 PTO Shaft with Overrun Clutch
- 1089565 Suction Hose for Front-Mounted Mower, 4.40m Length

Model No.	Overall Width	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
3290041	1.6m	Max Dumping Height 203cm	500kg	20	AU\$32,316	AU\$35,547

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
1220019	Rear Door 1200 Liter	AU\$6,530	AU\$7,183
1057690	PTO Shaft without Overrun Clutch	AU\$353	AU\$388
1089561	Suction Hose for Mid-Mounted Mower	AU\$435	AU\$479
1089563	Suction Hose for Front-Mounted Mower, 3.60m Length	AU\$600	AU\$660
1126500	Chute for Wiedenmann TXL-S 130 Mower	AU\$853	AU\$938
1082595	Chute for Wiedenmann TXL-S 150 Mower	AU\$853	AU\$938
1201165	Chute for Wiedenmann TXL-S 180 Mower	AU\$853	AU\$938
Depending on mower type	Chute for Other Mowers	AU\$902	AU\$992
Depending on mower type	Suction Hose Guiding Device for Front-Mounted Mowers	AU\$753	AU\$828
1207007	Lights	AU\$941	AU\$1,035
6780000	Hand Suction Nozzle, 5 m	AU\$2,314	AU\$2,545
1245290	Electromechanical Fill Indicator (12 V)	AU\$659	AU\$725
1220369	Lashing Kit	AU\$690	AU\$759
3299600	Additional Year Warranty Extension (24 Months Total)	AU\$780	AU\$859

Photos may contain optional extras. Prices and specifications may change without notice.

GKB COMBITOOL

Combining versatility and value, the GKB Combi-Tool is designed to help turf managers complete multiple maintenance tasks in a single pass. Built with a GKB engineered 3-point linkage frame, it can be equipped with a range of attachments to perform operations such as slitting, raking, rolling and brushing quickly and efficiently.

The Combi-Tool features four attachment slots that can be configured to suit the venue or the task at hand. Available attachments include brush heads, rake tines, slitting tines, slitting discs and a range of rollers. Multiple rows of the same attachment can also be fitted for more intensive work, with each implement independently adjustable to the desired working depth.

Available in four working widths from 120cm to 240cm (47"-94"), the Combi-Tool is ideal for golf courses, sports fields, schools, contractors and multi-sport venues looking to improve surface presentation, playability and turf health with one versatile machine.



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
CT120	Combitool 1.2m	120cm / 48"	225kg	15	AU\$14,493	AU\$15,942
CT160	Combitool 1.6m	160cm / 63"	260kg	25	AU\$14,756	AU\$16,232
CT200	Combitool 2.0m	200cm / 79"	275kg	35	AU\$15,517	AU\$17,069
CT240	Combitool 2.4m	240cm / 95"	310kg	45	AU\$17,567	AU\$19,323



Optional Extras

CT120

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
CT00.01.01	Combitoole Base Frame	AU\$6,051	AU\$6,656
CT00.05.01	Combitoole Wheel Kit	AU\$1,513	AU\$1,664
CT12.01.01	Combitoole Straight Brush	AU\$1,269	AU\$1,396
CT12.02.01	Combitoole Disc Slitter	AU\$4,099	AU\$4,509
CT12.03.01	Combitoole Spike Slitter	AU\$3,123	AU\$3,435
CT12.04.01	Combitoole Roller	AU\$2,655	AU\$2,920
CT12.05.01	Combitoole Spring Tines	AU\$1,396	AU\$1,535
CT12.06.01	Combitoole Magnetbar	AU\$1,171	AU\$1,288
CT12.07.01	Combitoole Dragframe	AU\$2,635	AU\$2,899
CT12.08.01	Combitoole Double Tine Rake Hybrid	AU\$1,415	AU\$1,557

CT160

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
CT00.01.01	Combitoole Base Frame	AU\$6,051	AU\$6,656
CT00.05.01	Combitoole Wheel Kit	AU\$1,513	AU\$1,664
CT16.01.01	Combitoole Straight Brush	AU\$1,288	AU\$1,417
CT16.02.01	Combitoole Disc Slitter	AU\$4,411	AU\$4,852
CT16.03.01	Combitoole Spike Slitter	AU\$3,269	AU\$3,596
CT16.04.01	Combitoole Roller	AU\$2,713	AU\$2,984
CT16.05.01	Combitoole Spring Tines	AU\$1,435	AU\$1,578
CT16.06.01	Combitoole Magnetbar	AU\$1,366	AU\$1,503
CT16.07.01	Combitoole Dragframe	AU\$3,221	AU\$3,543
CT16.08.01	Combitoole Double Tine Rake Hybrid	AU\$1,805	AU\$1,986

CT200

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
CT00.01.01	Combitoole Base Frame	AU\$6,051	AU\$6,656
CT00.05.01	Combitoole Wheel Kit	AU\$1,513	AU\$1,664
CT20.01.01	Combitoole Straight Brush	AU\$1,405	AU\$1,546
CT20.03.01	Combitoole Spike Slitter	AU\$3,796	AU\$4,176
CT20.04.01	Combitoole Roller	AU\$2,752	AU\$3,027
CT20.05.01	Combitoole Spring Tines	AU\$1,513	AU\$1,664
CT20.06.01	Combitoole Magnetbar	AU\$1,552	AU\$1,707
CT20.07.01	Combitoole Dragframe	AU\$3,513	AU\$3,865
CT20.08.01	Combitoole Double Tine Rake Hybrid	AU\$2,254	AU\$2,480

CT240

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
CT00.01.01	Combitoole Base Frame	AU\$6,051	AU\$6,656
CT00.05.01	Combitoole Wheel Kit	AU\$1,513	AU\$1,664
CT24.01.01	Combitoole Straight Brush	AU\$1,679	AU\$1,846
CT24.03.01	Combitoole Spike Slitter	AU\$4,763	AU\$5,239
CT24.04.01	Combitoole Roller	AU\$3,318	AU\$3,650
CT24.05.01	Combitoole Spring Tines	AU\$1,757	AU\$1,932
CT24.06.01	Combitoole Magnetbar	AU\$1,864	AU\$2,050

GKB DEEP TINE AERATOR



Aeration is a critical part of the maintenance programme for professional sports turf. The GKB Deep Tine Aerator (DTA) delivers deep, precise aeration to help strengthen turf and improve overall plant and soil health. With penetration depths of up to 400 mm, it breaks through compaction on even the toughest surfaces, encouraging stronger root growth and improved turf performance.

The DTA works by repeatedly creating holes at set spacing, improving the movement of moisture, oxygen and nutrients through the soil profile. A range of tine options allows the machine to suit different stages of the maintenance calendar, while GKB's unique tine mounting system enables more tines per head for efficient operation and quicker changeovers.

Precision engineered for durability, the GKB DTA is available in working widths from 120cm (47") to 260cm (102"), making it suitable for everything from golf greens to large-scale sports field renovations. Smaller models offer working depths up to 250 mm, while larger models feature simple hydraulic height adjustment and an adjustable heave angle of up to 25 degrees for flexible operation.



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
DTA120	Deep Tine Aerator 1.2m	120cm / 48"	500kg	15	AU\$39,018	AU\$42,919
DTA160	Deep Tine Aerator 1.6m	160cm / 63"	930kg	35	AU\$55,530	AU\$61,083
DTA210	Deep Tine Aerator 2.1m	210cm / 83"	1400kg	55	AU \$69,037	AU\$75,941
DTA260	Deep Tine Aerator 2.6m	260cm / 103"	2000kg	65	AU\$87,541	AU\$96,295

Optional Extras

DTA160

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
DTA1232160AP	Core Collector	AU\$1,444	AU\$1,589
DTA16.0103	Hold Down Plate (4 x 12mm)	AU\$732	AU\$805
DTA16.0104	Hold Down Plate (2 x 18mm)	AU\$703	AU\$773

DTA210

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
DTA1232210AP	Core Collector	AU\$1,962	AU\$2,158
DTA1232210RR	Hydraulic Rear Roller Kit	AU\$4,089	AU\$4,498
DTA1992800P21	Hold Down Plate (5 x 12mm)	AU\$1,220	AU\$1,342
DTA1992802P21	Hold Down Plate (2 x 24mm)	AU\$1,210	AU\$1,331
DTA210WK	Wheelkit	AU\$10,150	AU\$11,165

DTA260

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
DTA1232260RI	Hydraulic Rear Roller Kit	AU\$4,128	AU\$4,541
DTA1992800P26	Hold Down Plate (5 x 12mm)	AU\$1,415	AU\$1,557
DTA1992802P26	Hold Down Plate (2 x 24mm)	AU\$1,415	AU\$1,557

GKB LEAFREDUCER

The Leaf Reducer 150 is a sustainable solution for managing fallen leaves, converting leaf waste into a natural soil improver in a single pass. Instead of collecting and disposing of leaves, the machine pulverises them into a fine mulch and returns valuable nutrients back into the surface, helping improve soil health while reducing maintenance time and costs.

Developed in response to demand from local authorities and turf managers, the Leaf Reducer offers an efficient alternative to blowers, vacuums and transport for leaf collection. It is ideal for use in parks, lawns, gardens and urban green spaces.

The machine works by collecting leaves with flails before a turbine fragments the material and draws it into the unit, where it is milled into a fine mulch. The processed material is then discharged back onto the surface through an adjustable rear ejector.

Key benefits include reduced landfill and disposal costs, improved soil quality, and a more efficient working method with potential CO₂ reduction of up to 65%.



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
LD150	Leafreducer 1.5m	150cm / 59"	860kg	60	AU\$85,443	AU\$93,987

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
LR00.07.095	Leaf Reducer Electro-proportional Box	AU\$10,247	AU\$11,272



GKB COMBINATOR

The GKB Combinator is a proven fraise mower that has been trusted by turf professionals since the 1990s. Designed for versatility, it can be used for light scarifying to control annual meadow grass or for more intensive surface renovation, removing up to 5cm (1.9") of material when required.

The redesigned Combinator features an improved cross conveyor positioned closer to the rotor and blade tips, allowing removed material to be transferred cleanly and efficiently into a collector. An enhanced drive system with a solid direct drive from the gearbox via a PTO-style yoke ensures reliable and consistent performance.

Built with a high-quality steel housing for durability, the Combinator also features the patented GKB CombiRotor, which can be fitted with a range of knives and blades to suit different applications. An optional hold-down plate and hybrid blades make it suitable for use on stitched pitches without risking fibre damage.



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
CB120	Combinator 1.2m	120cm / 48"	630kg	35	AU\$46,845	AU\$51,529
CB160	Combinator 1.6m	160cm / 63"	950kg	40	AU\$56,018	AU\$61,620
CB200	Combinator 2.0m	200cm / 79"	1150kg	65	AU\$63,826	AU\$70,208
CB240	Combinator 2.4m	240cm / 95"	1270kg	90	AU\$71,028	AU\$78,131



Optional Extras

CB120

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
0103-0001(22x)	Vertiknife kit, 3mm (22 blades, 50mm centre distance) no bolts	AU\$839	AU\$923
0103-0001(44x)	Vertiknife kit, 3mm (44 blades, 25mm centre distance) no bolts	AU\$1,679	AU\$1,846
CB12.0104-0001	Fraising blade kit, calibrated left (42 blades) without bolts	AU\$1,015	AU\$1,116
CB12.0104-0003	Fraising blade kit, hybrid 40mm (44 blades) without bolts	AU\$4,587	AU\$5,046
CB12.0116-0008	Fraising blade kit, hybrid 3x10 (44 blades) without bolts	AU\$5,563	AU\$6,119
CB12.05.20	Adjustable brush rotor	AU\$8,930	AU\$9,823

CB160

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
0103-0001(32x)	Vertiknife kit, 3mm (32 blades, 50mm centre distance) no bolts	AU\$1,210	AU\$1,331
0103-0001(64x)	Vertiknife kit, 3mm (64 blades, 25mm centre distance) no bolts	AU\$2,420	AU\$2,662
CB16.0104-0001	Fraising blade kit, calibrated left (62 blades) without bolts	AU\$1,483	AU\$1,632
CB16.0104-0003	Fraising blade kit, 40mm (64 blades) without bolts	AU\$6,695	AU\$7,364
CB16.0116-0008	Fraising blade kit, 3x10 (44 blades) without bolts	AU\$8,100	AU\$8,910
CB16.05.21	Adjustable brush rotor	AU\$10,052	AU\$11,057

CB200

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
0103-0001(38x)	Vertiknife kit, 3mm (38 blades, 50mm centre distance) no bolts	AU\$1,444	AU\$1,589
0103-0001(76x)	Vertiknife kit, 3mm (76 blades, 25mm centre distance) no bolts	AU\$2,889	AU\$3,178
CB20.0104-0001	Fraising blade kit, calibrated left (74 blades) without bolts	AU\$1,776	AU\$1,954
CB20.0104-0003	Fraising blade kit, hybrid 40mm (76 blades) without bolts	AU\$7,944	AU\$8,738
CB20.0116-0008	Fraising blade kit, hybrid 3x10 (76 blades) without bolts	AU\$9,623	AU\$10,585
CB20.05.21	Adjustable brush rotor	AU\$10,638	AU\$11,701

CB240

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
0103-0001(47x)	Vertiknife kit, 3mm (47 blades, 50mm centre distance) no bolts	AU\$1,796	AU\$1,975
0103-0001(94x)	Vertiknife kit, 3mm (94 blades, 25mm centre distance) no bolts	AU\$3,591	AU\$3,951
CB24.0104-0001	Fraising blade kit, calibrated left (92 blades) without bolts	AU\$2,225	AU\$2,448
CB24.0104-0003	Fraising blade kit, hybrid 40mm (94 blades) without bolts	AU\$9,818	AU\$10,800
CB24.0116-0008	Fraising blade kit, hybrid 3x10 (94 blades) without bolts	AU\$11,906	AU\$13,097
CB24.05.21	Adjustable brush rotor	AU\$11,126	AU\$12,238



Photos may contain optional extras. Prices and specifications may change without notice.

GKB COMBISEEDER

The GKB Combiseeder is an efficient solution for seeding and overseeding turf surfaces quickly and with minimal disruption. Two spiked rollers create the ideal seed bed, followed by brushes that cover the seed to promote optimal germination while leaving a clean, professional finish.

Keeping turf dense is one of the best natural defences against weeds, annual meadow grass and moss, reducing the need for chemical treatments. The Combiseeder is available in four working widths, making it suitable for a range of surfaces including golf courses, football fields, cricket grounds and municipal turf.

Designed for ease of use, the seed distribution system automatically stops when the machine is lifted or stationary. Adjustable ground pressure via dual water tanks allows effective operation even on firmer ground, while the large seed hopper reduces downtime by enabling full-area seeding before refilling



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
CS120	Combiseeder 1.2m	120cm / 48"	510kg	35	AU\$25,277	AU\$27,804
CS160	Combiseeder 1.6m	160cm / 63"	690kg	40	AU\$30,547	AU\$33,601
CS200	Combiseeder 2.0m	200cm / 79"	800kg	60	AU\$36,109	AU\$39,720
CS240	Combiseeder 2.4m	240cm / 95"	990kg	70	AU\$41,672	AU\$45,839



Photos may contain optional extras. Prices and specifications may change without notice.

GKB VCOLLECTOR

The GKB Vcollector is designed to effectively remove organic matter, control black layer and manage weeds without the use of pesticides. Ideal for maintaining healthy sports turf, it helps prevent the emergence of annual meadow grass while improving overall surface condition.

Suitable for golf courses, cricket fields and winter sports pitches, the Vcollector is built to follow ground contours, delivering consistent scarification while leaving the surface clean and ready for play.

The machine features GKB's unique CombiRotor, which rotates against the direction of travel for a precise and effective cutting action. Heavy-duty 3 mm steel blades cut through dense thatch and roots at working depths of up to 5 cm. With operating speeds of up to 12 km/h, a full sports pitch can be scarified quickly and efficiently. Three-point linkage allows easy attachment to tractors from 35 hp (1.2m model) or 40 hp (1.6m model).



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
VC120	Vcollector 1.2m	120cm / 48"	560kg	35	AU\$37,866	AU\$41,653
VC160	Vcollector 1.6m	160cm / 63"	620kg	40	AU\$44,112	AU\$48,523



GKB ECODRESSER

The GKB Ecodresser is a versatile 3-in-1 maintenance machine designed for natural grass sports surfaces and golf courses. It aerates the ground while recycling nutrient-rich material from the existing soil profile, helping improve drainage, surface performance and overall turf health.

By redistributing material already within the profile, the Ecodresser reduces the need for imported sand and topdressing, providing a practical and cost-effective solution for ongoing turf maintenance.

The blades cut through the surface to depths of up to 20cm (8"), breaking through compacted layers and bringing finer soil back to the top. This linear aeration process improves soil structure and creates an ideal seedbed for overseeding, while supporting more sustainable turf management.



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
ED130	Ecodresser 1.3m	130cm / 51"	550kg	35	AU\$35,133	AU\$38,647
ED160	Ecodresser 1.6m	160cm / 63"	850kg	65	AU\$48,406	AU\$53,247
ED200	Ecodresser 2.0m	200cm / 79"	1450kg	80	AU\$80,026	AU\$88,029
ED240	Ecodresser 2.4m	240cm / 95"	1650kg	90	AU\$90,761	AU\$99,838

Optional Extras

ED160

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
ED160GB	Soil belt (230x205x130cm)	AU\$14,444	AU\$15,888
ED160SZ	Stone screen (315x205x130cm)	AU\$32,889	AU\$36,178

ED200

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
ED200SK	Rotor with slip clutches and spring-loaded colter blades	AU\$18,250	AU\$20,075
ED200SZ	Stonescreen (321x240x170cm)	AU\$38,061	AU\$41,867

ED240

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
ED240SK	Rotor with slip clutches and spring-loaded colter blades	AU\$19,480	AU\$21,428
ED240SZ	Stonescreen (321x280x170cm)	AU\$40,013	AU\$44,014



GKB VSTRONG



The GKB Vstrong is a powerful scarifier designed to remove organic matter, control black layer and manage weeds without the use of pesticides. Ideal for football pitches, sports fields, cricket grounds and golf courses, it helps maintain a clean, healthy turf surface and reduce the risk of annual meadow grass.

The machine features GKB's unique CombiRotor, which rotates against the direction of travel to deliver precise and effective scarification. Heavy-duty 3 mm steel blades cut through dense thatch and roots at working depths of up to 5cm.

Regular scarification with the Vstrong supports a strong cultural maintenance programme, helping to reduce compaction, improve turf density and create optimal conditions for healthy growth and germination.



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
VS120	Vstrong 1.2m	120cm / 48"	480kg	35	AU\$28,107	AU\$30,917
VS160	Vstrong 1.6m	160cm / 63"	650kg	40	AU\$35,036	AU\$38,539
VS200	Vstrong 2.0m	200cm / 79"	750kg	65	AU\$40,989	AU\$45,088
VS240	Vstrong 2.4m	240cm / 95"	900kg	90	AU\$46,064	AU\$50,670

Optional Extras

VS120

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
0103-0001(22x)	Vertiknife kit, 3mm (22 blades, 50mm centre distance) no bolts	AU\$839	AU\$923
0103-0001(44x)	Vertiknife kit, 3mm (44 blades, 25mm centre distance) no bolts	AU\$1,679	AU\$1,846
VS12.08.01	Collection box 400L	AU\$9,564	AU\$10,521

VS160

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
0103-0001(32x)	Vertiknife kit, 3mm (32 blades, 50mm centre distance) no bolts	AU\$1,210	AU\$1,331
0103-0001(64x)	Vertiknife kit, 3mm (64 blades, 25mm centre distance) no bolts	AU\$2,420	AU\$2,662
VS16.08.01	Collection box 500 Ltr.	AU\$10,540	AU\$11,594

VS200

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
0103-0001(38x)	- Vertiknife kit, 3mm (38 blades, 50mm centre distance) no bolts	AU\$1,444	AU\$1,589
0103-0001(76x)	- Vertiknife kit, 3mm (76 blades, 25mm centre distance) no bolts	AU\$2,889	AU\$3,178

VS240

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
0103-0001(47x)	Vertiknife kit, 3mm (47 blades, 50mm centre distance) no bolts	AU\$1,796	AU\$1,975
0103-0001(94x)	- Vertiknife kit, 3mm (94 blades, 25mm centre distance) no bolts	AU\$3,591	AU\$3,951



GKB SANDSPREADER

Topdressing plays an important role in breaking down thatch layers, improving drainage and promoting strong, healthy turf growth. The GKB Sandspreader delivers precise and even sand application, making it ideal for both the construction and ongoing maintenance of sports surfaces and golf courses.

Topdressing is essential for breaking down thatch layers, improving drainage and creating conditions that support strong, healthy turf growth. The GKB Sandspreader delivers precise sand application, making it suitable for the construction and ongoing maintenance of sports surfaces and golf courses.

Available with four different hopper capacities and in trailed or mounted models, there is a Sandspreader to suit a range of turf management requirements. Built from high-quality steel for long-lasting reliability, it features a robust wheelbase for stability and even weight distribution, along with a hopper designed for good visibility and efficient sand discharge.

Options include a hydraulically operated rear valve controlled via a proportional control box, a swivelling conveyor belt for drop dressing in place of the disc unit, or a combination of both on the SPM model. The Sandspreader can also be adapted for legal road transport with a bumper, lighting and an overrun brake.



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
SP100	Trailed Sandspreader 1.0 m ³	2-12m	700kg	20	AU\$30,059	AU\$33,065
SP230	Trailed Sandspreader 2.3 m ³	2-12m	1080kg	30	AU\$52,700	AU\$57,970
SP300	Trailed Sandspreader 3.0 m ³	2-12m	1480kg	40	AU\$60,508	AU\$66,558
SP400	Trailed Sandspreader 4.0 m ³	2-12m	1520kg	60	AU\$75,439	AU\$82,983



SP100

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
SP00.07.96	Hydraulic electrical proportional control box	AU\$7,154	AU\$7,869
SP10.03.04	Bunker elevation 400mm (infill material only)	AU\$800	AU\$880
SP10.03.051	Bunker funnel plate (set)	AU\$800	AU\$880
SP10.07.03	Subframe (John Deere ProGator)	AU\$1,493	AU\$1,642
SP10.07.06	Subframe (Jacobsen Truckster)	AU\$1,493	AU\$1,642
SP10.07.07	Supporting legs Subframe	AU\$1,688	AU\$1,857
SP10.07.10	Subframe (Toro Workman)	AU\$1,493	AU\$1,642
SP10.07.94	Hydraulically operated sandvalve	AU\$2,049	AU\$2,254
SP10.08	Rear cross conveyor	AU\$10,150	AU\$11,165

SP230

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
SP00.07.96	Hydraulic electrical proportional control box	AU\$7,154	AU\$7,869
SP00.09.01	Rear cross conveyor short 1.6m	AU\$15,127	AU\$16,640
SP00.09.05	Rear cross conveyor long 2.1m	AU\$16,103	AU\$17,713
SP23.07.94	Hydraulically operated sandvalve	AU\$2,313	AU\$2,544

SP300

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
SP00.07.96	Hydraulic electrical proportional control box	AU\$7,154	AU\$7,869
SP00.09.01	Rear cross conveyor short 1.6m	AU\$15,127	AU\$16,640
SP00.09.05	Rear cross conveyor long 2.1m	AU\$16,103	AU\$17,713
SP30.07.94	Hydraulically operated sandvalve	AU\$2,537	AU\$2,791

SP400

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
SP00.07.96	Hydraulic electrical proportional control box	AU\$7,154	AU\$7,869
SP00.09.01	Rear cross conveyor short 1.6m	AU\$15,127	AU\$16,640
SP00.09.05	Rear cross conveyor long 2.1m	AU\$16,103	AU\$17,713
SP40.07.94	Hydraulically operated sandvalve	AU\$2,733	AU\$3,006



GKB SANDSPREADER SPM

Topdressing is critical to breakdown those thatch layers, thereby improving drainage and creating conditions favourable for strong grass growth. Do it with precision, with the GKB SPM. This version of the Sandspreader comes with an additional material handler – a front mounted elevator for the convenient topping up of bunkers, trenches or other routine topdressing around the golf course.

Quality build for a quality operation

The SPM is constructed using high quality steel to give you long-lasting reliability. It is also highly adjustable, making it ideal for light, frequent dressings or heavier applications. It also comes with a standard overrun brake and LED lighting as standard. The SPM is available with three different hopper capacities, all of which can be connected to your tractor with a drawbar.

All trailed models in the GKB Sandspreader range come with pivoting axels as standard. It is also highly adjustable, making it ideal for light, frequent dressings or heavier applications. The conveyor belt speed can be altered to suit the desired depth of dressing, while the hydraulically driven discs offer optimal accuracy. It also comes with a standard overrun brake and LED lighting as standard.



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
SPM230	Trailed Sandspreader SPM 2.3 m ³	2-12m	1180kg	30	AU\$100,521	AU\$110,573
SPM300	Trailed Sandspreader SPM 3.0 m ³	2-12m	1580kg	40	AU\$122,479	AU\$134,727
SPM400	Trailed Sandspreader SPM 4.0 m ³	2-12m	1620kg	60	AU\$134,581	AU\$148,039

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
SPM00.09.01	Trench Filling Unit SPM (Suits all models)	AU\$1,884	AU\$2,072



GKB SANDSPREADER UTILITY

Easy topdressing without a tractor is made possible with the utility version of the SP100. The smallest model of Sandspreader can also be specified in a mounted format for use with your ProGator, Truckster or Workman. Combining the mobility of your utility vehicle with the high capacity of the SP100 ensures accurate and efficient topdressing on golf courses or sports fields.

In addition to the standard disc spreaders, the GKB Sandspreader can be equipped with a cross conveyor belt. This flat conveyor at the rear of the unit allows efficient refilling of bunkers. After adding the desired amount of sand into the hopper, you can spread it precisely where needed. With a 1m³ capacity, fewer refills are required, boosting overall productivity.



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
SP100	Sandspreader Utility 1.0 m ³	2-12m	450kg	20	AU\$30,059	AU\$33,065

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
SP00.07.96	Hydraulic Electrical Proportional Control Box	AU\$7,154	AU\$7,869
SP10.03.04	Bunker Elevation 400mm (infill material only)	AU\$800	AU\$880
SP10.03.051	Bunker Funnel Plate (set)	AU\$800	AU\$880
SP10.07.03	Subframe - John Deere ProGator	AU\$1,493	AU\$1,642
SP10.07.06	Subframe - Jacobsen Truckster	AU\$1,493	AU\$1,642
SP10.07.07	Supporting Legs Subframe	AU\$1,688	AU\$1,857
SP10.07.10	Subframe - Toro Workman	AU\$1,493	AU\$1,642
SP10.07.94	Hydraulically Operated Sandvalve	AU\$2,049	AU\$2,254
SP10.08	Rear Cross Conveyor	AU\$10,150	AU\$11,165



GKB TOPDROP

The GKB Topdrop is a versatile drop-dresser suitable for use on both natural and artificial playing surfaces. Speed, application thickness and direction can all be adjusted, making it ideal for spreading sand or artificial infill material to suit a range of surface requirements

Built from high-quality, robust steel, the Topdrop delivers strength, rigidity and long-term reliability. Designed using the practical experience of GKB's contracting division, it offers simple and user-friendly operation.

Key features include a pivoting wheelset with four balloon tyres for stability and low ground pressure, easily adjustable layer thickness via a variable speed brush, and optional road-ready equipment including a bumper, lighting and an overrun brake.



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
TD114	Topdrop 1.0 m ³	140cm / 55"	775kg	20	AU\$40,013	AU\$44,014
TD214	Topdrop 2.0 m ³	140cm / 55"	1100kg	30	AU\$46,161	AU\$50,778
TD220	Topdrop 2.0 m ³	200cm / 79"	1200kg	30	AU\$49,255	AU\$54,181
TD330	Topdrop 3.3 m ³	200cm / 79"	1500kg	45	AU\$74,561	AU\$82,017



GKB SANDFILLER

The GKB Sandfiller is designed to improve surface drainage and aeration on sports turf and golf courses, particularly greens. This versatile machine scarifies and simultaneously backfills with sand – or a sand and seed mix – in a single pass, creating ideal conditions for strong root development and healthy turf growth.

Capable of being operated by one person, the Sandfiller can also be used solely for scarifying and collecting material when the sand hopper is not in use. For overseeding, seed can be added to the hopper and delivered directly into the channels, optimising germination conditions while saving time, labour and cost.

Based on the proven principles of the GKB Combinator, the slitting rotor is fitted with carbide blades that generate airflow to lift material into a sideways tipping container, which can then be easily refilled with dried sand. Designed with efficiency in mind, the Sandfiller also delivers environmentally conscious operation with a reduced CO₂ footprint.



KEY FEATURES:

- Sandbunker Capacity: 120L
- Container Capacity: 400L
- Threepoint Cat I linkage

Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
SF120	Sandfiller 1.2m	120cm / 48"	620kg	40	AU\$58,556	AU\$64,411

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
0103-0001(28x)	Vertiknife Kit, 3mm (28 blades, 40mm centre distance) no bolts	AU\$1,070	AU\$1,177




Photos may contain optional extras. Prices and specifications may change without notice.

GKB STONEBURIER

Removing weeds and stones is the first step in creating high-quality natural sports turf or golf surfaces. Debris within the upper soil profile can restrict seed germination and lead to poor grass density. The GKB Stoneburier creates a clean, uniform tilth to give your project the best possible foundation.

This high-quality surface cultivator features a robust rotor with two knife options, cutting trenches to loosen the soil. Screening tines then separate stones and contaminants from the finer soil. Stones are buried deep in the trenches, while the cleaned soil is returned to the surface. A rear roller levels and consolidates the ground, producing an even base ready for seeding or further preparation.

Developed with input from GKB's contracting division, the Stoneburier is designed for ease of use and reliable performance. The rear roller can be hydraulically adjusted to suit varying ground conditions and can be water-ballasted for effective operation on heavily compacted soils.



KEY FEATURES:

- 45° fraising blades (left and right)
- 90° fraising blades (left and right)
- Three-point linkage (Category I-II)

Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
SB120	Stoneburier 1.2m	120cm / 48"	500kg	20	AU\$26,155	AU\$28,770
SB140	Stoneburier 1.4m	140cm / 55"	600kg	35	AU\$30,937	AU\$34,031
SB160	Stoneburier 1.6m	160cm / 63"	700kg	40	AU\$35,133	AU\$38,647
SB180	Stoneburier 1.8m	180cm / 71"	800kg	50	AU\$39,037	AU\$42,941
SB200	Stoneburier 2.0m	200cm / 79"	900kg	55	AU\$40,208	AU\$44,229

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
SB00.03.01	Hydraulic Adjustment Rear Roller (side shift) - Fits all models	AU\$2,245	AU\$2,469



GKB DRAINMASTER

In continuous development since 1985, the GKB Drainmaster provides an effective solution to improve and accelerate the downward movement of moisture without the need for full surface renovation.

Ideal for natural grass sports surfaces and golf courses where standing water is an issue, the Drainmaster helps reduce surface wetness and increase available playing hours. Within just a few weeks, the grass regrows to reveal a more stable surface, improved turf quality and long-lasting drainage performance.

The Drainmaster attaches to your tractor and mills 4cm wide trenches perpendicular to the existing drainage system using parallel cutters. Removed material is discharged via a conveyor belt into a collector or container. The machine then backfills the trenches with sand, which is consolidated by the rear wheels to leave a clean, level finish.

Developed with expertise from GKB's contracting division, the Drainmaster combines robust build quality with user-friendly operation. The precisely designed hopper allows efficient coverage of a full pitch length in one pass, or across the width in two passes.



KEY FEATURES:

- **Linkage:** Drawbar eye
- **Sandbunker Capacity:** 4.0m³

Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
DM150	Drainmaster 4.0 m ³	150cm / 59"	3300kg	>120 hp + creeper gear	AU\$179,571	AU\$197,528

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
DM15.HD	DM150 Heavy Duty Kit (fraising wheels and chisels)	AU\$11,389	AU\$12,528



Photos may contain optional extras. Prices and specifications may change without notice.

GKB SANDMOVER

Developed using the expertise of GKB's contracting division, the Sandmover is built to be the ideal partner for sports pitch installations and large-scale groundworks. It provides a precise and efficient way to apply profile layers or fill drainage trenches, even on demanding projects.

The Sandmover delivers accurate application of sand, split or gravel across wide areas. Available in 180, 200 or 250cm (70", 79" or 98") working widths and with hopper capacities up to 6m³, layer thickness can be mechanically adjusted between 2 and 10cm (0.7"–3.9"). An optional hydraulically adjustable conveyor belt enables precise filling of drainage trenches.

Designed for reliability and long-term performance, the Sandmover features robust build quality without complicated hydraulic or electrical systems, reducing maintenance requirements and helping to keep operating costs down

KEY FEATURES:

- **Linkage:** Drawbar eye



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
SM180	Sandmover 5 m ³	180cm / 71"	2550kg	85	AU\$80,417	AU\$88,458
SM250	Sandmover 6 m ³	250cm / 98"	2750kg	85	AU\$85,882	AU\$94,470



GKB TOPAIR

Frequent aeration is essential for improving drainage and allowing moisture, nutrients and oxygen to reach the rootzone. The GKB Topair enables you to aerate and roll in a single pass, enhancing the upper soil profile while leaving a level surface ready for recovery and play.

Designed to deliver multifunction performance without compromise, the Topair saves time and labour by combining two key operations into one, while also reducing fuel use and CO₂ emissions.

The machine features GKB's unique Evolverte® blades, achieving penetration depths of up to 16cm (6.2") without the prying effect that can disrupt the surface. Their design minimises friction, reducing power requirements. A hydraulically adjustable pressure roller allows settings to be tailored to ground conditions and can be water-ballasted for additional weight and penetration when required.

Developed as a sustainable solution for natural turf management, the Topair supports strong, healthy turf while reducing reliance on chemical treatments

KEY FEATURES:

- **Water Tank Capacities:**
 - TA120: 165L
 - TA160: 230L
 - TA200: 300L
 - TA240: 360L
- **Linkage:** Three-point linkage Cat I - II



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
TA120	Topair 1.2m	120 cm / 48"	520kg	35	AU\$21,958	AU\$24,154
TA160	Topair 1.6m	160 cm / 63"	650kg	40	AU\$28,302	AU\$31,132
TA200	Topair 2.0m	200 cm / 79"	760kg	45	AU\$33,182	AU\$36,500
TA240	Topair 2.4m	240 cm / 95"	870kg	60	AU\$40,013	AU\$44,014




GKB DRAGFRAME



The GKB Dragframe is designed to deliver the perfect finishing touch to natural or hybrid turf renovations, particularly where an even, level dressing of soil or sand is required.

It can be used following operations such as the GKB Ecodresser, tillage or topdressing, to evenly distribute material and create a smooth, level surface. The unique spiral steel bars also enable effective finishing with sand and other materials, ensuring a high-quality result.




Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
SR400	Dragframe 4.0m	400 cm / 158"	200kg	30	AU\$10,511	AU\$11,562

GKB ROTOBRUSH



When maintaining a synthetic surface, it is important to give as much attention to the perimeters as the main playing area. Edges are often the first areas to suffer from contamination, leading to moss and algae build-up and potentially slippery, unsafe conditions.

The GKB Rotobrush is designed to eliminate this risk while restoring the visual quality of your pitch. Multiple brush and rake tine options are available, allowing the Rotobrush to be configured to suit your specific surface and maintenance requirements.



KEY FEATURES:

- **Linkage:** Three-point linkage Cat I - II

Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
RB040	Rotobrush 0.4m	40 cm / 16"	65kg	15	AU\$8,783	AU\$9,662
RB120	Rotobrush 1.2m	120 cm / 47"	85kg	20	AU\$14,249	AU\$15,673

Optional Extras

RB040

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
RB12.03.01	RB Spring Tooth Disc 600mm Ø4.5mm	AU\$2,713	AU\$2,984
RB40.02	Brush ø 60cm	AU\$781	AU\$859
RB40.03	Central Brush ø 60cm Under 3-point	AU\$5,075	AU\$5,582
RB40.04	Hydraulically Adjustable Arm (cylinder)	AU\$1,757	AU\$1,932

RB120

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
RB12.01.04	Support Wheels (kit) with Adjustable Height Wheels	AU\$2,440	AU\$2,684
RB12.03.01	Spring Tooth Disc 600mm Ø4.5mm	AU\$2,713	AU\$2,984

Photos may contain optional extras. Prices and specifications may change without notice.

GKB INFILL REMOVER

The GKB Infill Remover efficiently removes and collects worn or contaminated infill from artificial playing surfaces. Suitable for new pitches or heavily compacted areas, it clears all material in a single pass for cleaning or safe disposal, restoring the surface's technical performance.

Designed with user-friendliness in mind, it features front-mounted spindles to easily adjust the working depth of both rollers. A unique brush rotor with adjustable stiffness allows the machine to treat even the most compacted fields, enabling removal of the entire infill layer in one pass when required.



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
IR120	Infill Remover 1.2m	120 cm / 48"	630kg	35	AU\$46,845	AU\$51,529
IR160	Infill Remove 1.6m	160 cm / 63"	950kg	40	AU\$56,018	AU\$61,620
IR200	Infill Remove 2.0m	200 cm / 79"	1150kg	65	AU\$63,826	AU\$70,208
IR240	Infill Remove 2.4m	240 cm / 95"	1270kg	90	AU\$71,028	AU\$78,131

Optional Extras

IR120

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
CB12.05.05	Rotor Shaft Hybrid Model No Blades	AU\$8,530	AU\$9,383
IR12.05.01	Wear Parts Set Brushes (4 brushes)	AU\$966	AU\$1,063

IR160

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
CB16.05.05	Rotor Shaft Hybrid Model No Blades	AU\$10,472	AU\$11,519
IR16.05.01	Wear Parts Set Brushes (4 brushes)	AU\$1,259	AU\$1,385

IR200

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
CB20.05.03	Rotor Shaft Hybrid Model No Blades	AU\$11,077	AU\$12,184
IR20.05.01	Wear Parts Set Brushes (4 brushes)	AU\$2,313	AU\$2,544

IR240

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
CB24.05.02	Rotor Shaft Hybrid Model No Blades	AU\$12,716	AU\$13,988
IR24.05.01	Wear Parts Set Brushes (4 brushes)	AU\$2,801	AU\$3,081




Photos may contain optional extras. Prices and specifications may change without notice.

GKB AERATOR

Compaction is a major challenge for synthetic sports surfaces, reducing fibre performance, permeability and overall playability. Developed in collaboration with Desso Sports System, the GKB Aerator uses carbide-toothed rollers to gently decompact infill without damaging the carpet fibres.

The machine works deeper than traditional tooth bar or brush solutions, restoring technical properties by loosening infill at the base of the fibres. Multiple carbide rollers work together to efficiently decompact the surface.

The Aerator can be connected to a tractor via a towing eye or three-point linkage and simply driven over the surface. Equipped with a three-point hitch, it follows the tractor's path, eliminating the need to lift the machine after each pass and ensuring efficient, consistent results.



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
AR100	Aerator 1.0m	100 cm / 39"	200kg	10	AU\$14,249	AU\$15,673
AR150	Aerator 1.5m	150 cm / 59"	450kg	20	AU\$20,007	AU\$22,007
AR200	Aerator 2.0m	200 cm / 79"	530kg	30	AU\$22,934	AU\$25,228

Optional Extras

AR100

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
AR00.10	Dust Extraction Set Aerator	AU\$1,444	AU\$1,589

AR150

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
AR00.02.02	3 Point Following Bar Instead of Basic 3 Point	AU\$8,783	AU\$9,662
AR00.10	Dust Extraction Set Aerator	AU\$1,444	AU\$1,589

AR200

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
AR00.02.02	3 Point Following Bar Instead of Basic 3 Point	AU\$8,783	AU\$9,662
AR00.10	Dust Extraction Set Aerator	AU\$1,444	AU\$1,589



GKB DEEP-CLEAN

Thorough cleaning of synthetic surfaces is essential for protecting turf longevity and ensuring player safety. The tractor-mounted GKB Deep-Clean lifts infill, removes dirt and contaminants, and returns clean infill to the surface, restoring both playability and appearance on tennis courts, football pitches, and other artificial surfaces.

Applications: Artificial Turf

The Deep-Clean is compatible with 3, 5, or 8 mm sieves, making it suitable for any artificial grass type. Designed with speed, reliability, quality of finish, and cost-effectiveness in mind, it combines practical engineering with GKB's renowned build quality.

Addressing concerns about microplastics, the Deep-Clean separates larger debris via its vibrating sieve and uses a vacuum and squeegee system to capture even very small plastic particles, which are collected in a dust bag for easy disposal or replacement.



KEY FEATURES:

- **Linkage:** Three-point linkage Cat I - II

Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
DC120	Deep-Clean 1.2m	120 cm / 48"	390kg	25	AU\$33,572	AU\$36,929
DC150	Deep-Clean 1.5m	150 cm / 59"	465kg	35	AU\$34,938	AU\$38,432
DC180	Deep-Clean 1.8m	180 cm / 71"	550kg	40	AU\$37,573	AU\$41,331



GKB TOP-CLEAN

Removing debris from artificial turf can be time-consuming using blowers or rakes, and traditional methods risk disturbing or losing infill. The GKB Top-Clean solves these problems, efficiently clearing surfaces while protecting the integrity of the turf.

Applications: Artificial Turf

The Top-Clean comes standard with a three-point linkage, with an optional drawbar for compatibility with a variety of towing vehicles, making it a versatile solution for synthetic surface maintenance.

KEY FEATURES:

- **Collecting Bin Capacities:**
 - TC120: 2 x 15 L
 - TC150: 2 x 18 L
 - TC180: 2 x 21 L
- **Linkage:** Three-point linkage Cat I - II



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
TC120	Top-Clean 1.2m	120 cm / 48"	230kg	20	AU\$16,786	AU\$18,465
TC150	Top-Clean 1.5m	150 cm / 59"	260kg	25	AU\$18,543	AU\$20,397
TC180	Top-Clean 1.8m	180 cm / 71"	290kg	30	AU\$20,007	AU\$22,007



GKB LEAF-CLEAN

The GKB Leaf Clean provides an efficient solution for removing leaves from artificial turf surfaces. It quickly and accurately lifts leaf debris to maintain play characteristics and help prevent the growth of moss and weeds, reducing the workload during peak autumn maintenance periods.

Applications: Sportsfields, Artificial Turf, Hybrid

Unlike garden rakes or blowers, which require significant labour and risk displacing infill material, the Leaf Clean sweeps and collects in a single pass. Easily operated by one person, it saves time, reduces labour costs and protects the integrity of your synthetic surface.

KEY FEATURES:

- **Collecting Bin Capacities:**
 - LC150: 650L
- **Linkage:** Three-point linkage Cat I - II



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
LC150	Leaf-Clean 1.5m	150 cm / 59"	450kg	25	AU\$85,443	AU\$93,987

Optional Extras

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
LR00.07.095	Leaf Reducer Hydraulic Electro-proportional Control Box	AU\$10,247	AU\$11,272



Photos may contain optional extras. Prices and specifications may change without notice.

GKB INFILLER

Maintaining correct infill levels is essential to preserve the playability, appearance and technical performance of artificial surfaces. The GKB Infiller is designed to evenly distribute infill materials such as sand, SBR rubber, TPE rubber and cork across your pitch.

Applications: Artificial Turf, Hybrid Turf

Developed using the practical expertise of GKB's contracting division, the Infiller has been thoroughly tried and tested to ensure user-friendly operation and reliable performance. The result is a well-engineered, purpose-built solution for consistent and efficient infill application.

STANDARD BUILD INCLUSIONS:

- **Dimensions (L x W x H):** 250 x 175 x 230 cm / 99 x 69 x 91"
- **Transport Dimensions (L x W x H):** 250 x 175 x 180 cm / 99 x 69 x 71"
- **Wheelbase:** 150 cm / 59"
- **Bunker Capacity:**
 - Sand: 1.5 m³ / 53 ft³
 - Rubber: 3 m³ / 106 ft³
 - Cork: 4 m³ / 142 ft³
- **Tyres:** Ø50 cm / Ø70 cm / Ø20" / Ø28"
- **Engine:**
 - Power: 24.7 hp / 18.2 kW
 - Fuel: Diesel
 - Cylinders: 4
 - Engine Displacement: 1500 cc
 - Max RPM: 2300 rpm
 - Fuel Tank Capacity: 30 L
 - Max Noise Level: 80 dB
- **Driving Speed:** 0 – 15 km/h / 0 – 9 mph



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
IF150	Infiller 1.5m	150 cm / 63"	1480kg	n/a	AU\$134,678	AU\$148,146



GKB RENOVATOR

Maintaining correct infill condition is essential to preserve the playability, safety and technical performance of artificial and hybrid surfaces. The GKB Renovator is designed to effectively decompact infill layers, restoring structure, improving water permeability and enhancing overall surface performance.

Applications: Sportsfields, Artificial Turf, Hybrid Turf

Equipped with multiple interlocking rotating brushes, the Renovator ensures complete surface coverage without missing any areas. These brushes actively disturb and lift compacted infill, repositioning it around the turf fibres to maintain optimal support and consistency. For best results, follow with a GKB Quick-Brush or Combtool to accurately level the infill.

Developed with versatility in mind, the Renovator can also be fitted with spring tines for use on natural and hybrid turf. This allows for effective surface agitation, helping to remove organic matter build-up and support healthier turf conditions. The rotating action has proven to be a reliable solution for renovating natural grass, stitched and hybrid surfaces.



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
RV160	Renovator 1.6m	160 cm / 63"	240kg	30	AU\$24,925	AU\$27,418
RV200	Renovator 2.0m	200 cm / 79"	300kg	40	AU\$26,253	AU\$28,878

Optional Extras

RV160

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
RV160.06	Set 4 Tooth Holders + 4 mm Tooth – Sand Infill or Hybrid Fields	AU\$3,221	AU\$3,543
RV160.07	Set of 5 Flat Rotating Brushes for Rubber Infill	AU\$3,221	AU\$3,543

RV200

PART No.	DESCRIPTION	RRP ex GST	RRP inc GST
RV200.06	Set 5 Tooth Holders + 4 mm Tooth – Sand Infill or Hybrid Fields	AU\$3,904	AU\$4,294
RV200.07	Set of 6 Flat Rotating Brushes for Rubber Infill	AU\$3,904	AU\$4,294



GKB BRUSH




Regular surface brushing is essential to maintaining the playability and visual characteristics of synthetic turf surfaces.

Applications: Golf Course, Artificial Turf

The Brush features a 200 cm (79") wide frame fitted with rigid brushes, designed to ensure optimal redistribution of infill material. As standard, the unit includes two additional side decks, expanding the working width up to 400 cm (157") to improve efficiency and reduce operating time.

These side decks are hydraulically folded, allowing for easy transport between pitches and convenient storage once the job is complete.



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
BR400	Brush 4.0m	400 cm / 158"	400kg	35	AU\$15,420	AU\$16,962

GKB QUICK-BRUSH



The GKB Quick-Brush is the ideal solution for regular maintenance of synthetic turf surfaces, helping to retain the visual appearance and play characteristics of football fields, tennis courts and artificial hockey pitches.

Applications: Artificial Turf

Regular brushing prevents infill compaction, ensuring the surface continues to drain effectively, play consistently and maintain a high-quality finish. It is one of the simplest and most effective ways to protect your facility investment and keep your pitch performing at its best.

Designed for ease of use, the Quick-Brush features a simple, no-hydraulic design, allowing it to be used with almost any tractor. It connects quickly and easily via a standard three-point linkage, making it a practical and efficient solution for ongoing turf maintenance.



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
QB200	Quick-Brush 2.0m	200 cm / 79"	120kg	25	AU\$6,539	AU\$7,193



Photos may contain optional extras. Prices and specifications may change without notice.

GKB TOPFINISH




Redistribute infill, level the surface and remove possible contamination with the Topfinish from GKB Machines.

Applications: Sports Fields, Artificial Turf, Hybrid Turf, Golf Courses

Suitable for all types of synthetic surfaces, the Topfinish delivers the 'finishing touch' in a single pass, leaving a pitch that looks great and performs consistently.

Long-Lasting Solutions

GKB prides themselves on using high-quality materials to create maintenance solutions built to stand the test of time. The Topfinish is no exception, combining durable steel and rubber components to ensure years of reliable productivity.



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
TF200	Topfinish 2.0m	200 cm / 79"	35kg	10	AU\$1,913	AU\$2,104

GKB TBRUSH



Brushing is one of the most important maintenance activities for any synthetic turf manager, helping to prevent drainage issues, moss and algae growth, and deterioration in the visual and technical performance of the surface.

Applications: Artificial Turf

The Tbrush is designed for regular brushing of artificial surfaces with a range of infill types, including rubber, sand and cork.

Benefits of the Tbrush:

The Tbrush is available in two working widths and is constructed from a premium steel frame with long-lasting synthetic brushes. Its design ensures excellent maneuverability, with transport wheels and a tow chain included as standard. The simple construction and minimal mechanical components help to reduce ongoing maintenance requirements and operating costs.



Model No.	Description	Working Width	Weight	Tractor HP (Min.)	RRP ex GST	RRP inc GST
TB140	Tbrush 1.4m	140 cm / 55"	36kg	10	AU\$1,610	AU\$1,771
TB180	Tbrush 1.8m	180 cm / 71"	47kg	15	AU\$1,903	AU\$2,093



STARGREEN TD700

700 LITRE (0.7M³) DEMOUNT TOP DRESSER



Designed for use with John Deere Pro-gator, the top dressers are attached using the existing pin points and ram mount which makes the top dresser easy and quick to mount and demount. The TD700 takes its hydraulic power from the prime mover's hydraulic system, which provides the power for the disc and belt. The hopper sides are purposely steep and have an uninterrupted material flow onto the belt. The belt is cleaned to ensure that the material is dispensed positively from the hopper onto the disc ensuring a smooth and consistent feed.

- 0.7m³ mild steel hopper with steep sides and an uninterrupted material flow onto the belt
- Hydraulically driven twin 650mm spreading discs with adjustable stainless steel vanes spreading from 2 metres up to 15 metres - dependant on hydraulic oil flow available and material type and condition
- Overrun valves fitted to the disc motors to eliminate hydraulic spikes to the system which can cause damage to hoses
- Manually adjustable control of the spreading width and conveyor belt speed with 18 detent positions
- Adjustable disc position to fine tune spreading pattern by changing the drop point on the spreading discs
- Multi position rear variable discharge door
- 400mm wide PVC belt with central under tracking to maintain belt position on the drums, with two third length horizontal cleats for positive material distribution on to the discs
- Large drive and idle drums lagged in neoprene material to give superior grip and reduce belt wear
- Hydraulically powered from the utility vehicles auxiliary hydraulic circuit (spool valves)
- Spreading disc action controlled by activation and de-activation of the auxiliary hydraulic circuit (spool valves) conveyor belt controlled in cab on/off switch
- Under belt cleaning brush
- Bolt on mounting brackets to suit various utility vehicles
- Demounting spreader stands with rear telescopic stands for safe demounting of the top dresser when in storage
- All metal work blast cleaned, prior to zinc rich powder prime and finished in polyester powder coat finish
- **Optional:** (Width/Application) In-cab control box to control the following:
 - Spreading discs/belt on-off
 - Belt on-off
 - Spreading width control in lieu of manually adjustable spread width valve
 - Application rate control in lieu of manually adjustable application rate valve
- **Hydraulic Capacity:** For the discs to turn at full speed when the control valves are set to setting 18 you will require 22 litres per minute. If for instance the Tow machine only has an oil flow of 15 lpm, the maximum speed will be approximately 75%

Model No.	Description	Capacity	Spread Width	RRP ex GST	RRP inc GST
TD700	Utility mounted Top Dresser	700 litre (0.7m ³)	2m - 15m	AU\$26,988	AU\$29,687

STARGREEN TD700T

700 LITRE (0.7M³) TRAILED TOP DRESSER



A trailed top dresser designed for use with suitably sized tractors for top dressing a range of turf playing surfaces. The TD700T takes its hydraulic power from the prime mover's hydraulic system, which provides the power for the disc and belt. The hopper sides are purposely steep and have an uninterrupted material flow onto the belt. The belt is cleated to ensure that the material is dispensed positively from the hopper onto the disc ensuring a smooth and consistent feed.

- 0.7m³ mild steel hopper with steep sides and an uninterrupted material flow onto the belt
- Hydraulically driven twin 650mm spreading discs with adjustable stainless steel vanes spreading from 2 metres up to 15 metres - dependant on hydraulic oil flow available and material type and condition
- Overrun valves fitted to the disc motors to eliminate hydraulic spikes to the system which can cause damage to hoses
- Manually adjustable control of the spreading width and conveyor belt speed with 18 detent positions
- Adjustable disc position to fine tune spreading pattern by changing the drop point on the spreading discs
- Multi position rear variable discharge door
- 400mm wide PVC belt with central under tracking to maintain belt position on the drums, with two third length horizontal cleats for positive material distribution on to the discs
- Large drive and idle drums lagged in neoprene material to give superior grip and reduce belt wear
- Hydraulically powered from the utility vehicles auxiliary hydraulic circuit (spool valves)
- Spreading disc action controlled by activation and de-activation of the auxiliary hydraulic circuit (spool valves) conveyor belt controlled in cab on/ off switch
- Under belt cleaning brush
- Bolt on mounting brackets to suit various utility vehicles
- Trailer chassis fitted with adjustable height ring hitch and 26x12-12 turf tyres
- Adjustable prop stand which can be detached when not in use.
- All metal work blast cleaned, prior to zinc rich powder prime and finished in polyester powder coat finish
- **Optional:** (Width/Application) In-cab control box to control the following:
 - Spreading discs/belt on-off
 - Belt on-off
 - Spreading width control in lieu of manually adjustable spread width valve
 - Application rate control in lieu of manually adjustable application rate valve
- **Hydraulic Capacity:** For the discs to turn at full speed when the control valves are set to setting 18 you will require 22 litres per minute. If for instance the Tow machine only has an oil flow of 15 lpm, the maximum speed will be approximately 75%

Model No.	Description	Capacity	Spread Width	RRP ex GST	RRP inc GST
TD700T	Trailed Top Dresser	700 litre (0.7m ³)	2m - 15m	AU\$29,068	AU\$31,975

STARGREEN

TD1500T

1500 LITRE (1.5M³) TRAILED TOP DRESSER



A trailed top dresser designed for use with suitably sized tractors for top dressing a range of turf playing surfaces. The TD1500T takes its hydraulic power from the prime mover's hydraulic system, which provides the power for the disc and belt. The hopper sides are purposely steep and have an uninterrupted material flow onto the belt. The belt is cleated to ensure that the material is dispensed positively from the hopper onto the disc ensuring a smooth and consistent feed.

- 1.5m³ mild steel hopper with steep sides and an uninterrupted material flow onto the belt
- Hydraulically driven twin 650mm spreading discs with adjustable stainless steel vanes spreading from 2 metres up to 15 metres - dependant on hydraulic oil flow available and material type and condition
- Overrun valves fitted to the disc motors to eliminate hydraulic spikes to the system which can cause damage to hoses
- Manually adjustable control of the spreading width and conveyor belt speed with 18 detent positions
- Adjustable disc position to fine tune spreading pattern by changing the drop point on the spreading discs
- Multi position rear variable discharge door
- 400mm wide PVC belt with central under tracking to maintain belt position on the drums, with two third length horizontal cleats for positive material distribution on to the discs
- Large drive and idle drums lagged in neoprene material to give superior grip and reduce belt wear
- Hydraulically powered from the utility vehicles auxiliary hydraulic circuit (spool valves)
- Spreading disc action controlled by activation and de-activation of the auxiliary hydraulic circuit (spool valves) conveyor belt controlled in cab on/ off switch
- Under belt cleaning brush
- Bolt on mounting brackets to suit various utility vehicles
- Trailer chassis fitted with adjustable height ring hitch
- 4 inline 26x12-12 turf tyres fitted on a floating axle
- Adjustable prop stand which can be detached when not in use.
- All metal work blast cleaned, prior to zinc rich powder prime and finished in polyester powder coat finish
- **Optional:** (Width/Application) In-cab control box to control the following:
 - Spreading discs/belt on-off
 - Belt on-off
 - Spreading width control in lieu of manually adjustable spread width valve
 - Application rate control in lieu of manually adjustable application rate valve
- **Hydraulic Capacity:** For the discs to turn at full speed when the control valves are set to setting 18 you will require 22 litres per minute. If for instance the Tow machine only has an oil flow of 15 lpm, the maximum speed will be approximately 75%

Model No.	Description	Capacity	Spread Width	RRP ex GST	RRP inc GST
TD1500T	Trailed Top Dresser	500 litre (1.5m ³)	2m - 15m	AU\$36,140	AU\$39,754

FIELDQUIP®

AG & TURF



TERMS & CONDITIONS...

1. All prices and specifications are subject to renewal or alteration without prior notification. Dealers must check prices to satisfy themselves before quoting.
2. Prices are in Australian dollars with both GST inclusive and exclusive.
3. Prices exclude freight except where stated otherwise.
4. It is the dealer's responsibility to check availability of stock before quoting any model or machine for resale.
5. Specifications contained in this pricelist are only an outline. Please consult model specific brochures for complete specifications.
6. Exclusive Dealer Marketing Rights may apply to some products in some areas. It is the dealer's responsibility to check this before quoting any goods for resale.
7. Fieldquip reserves the right not to sell any or all the items included in this pricelist to any potential Purchaser or Reseller.
3. The following items are not covered by Fieldquip warranty;
 - i. Power take-off shafts and clutches,
 - ii. Blades, tynes, flails, knives, tyres, wheels, belts, bearings, seals etc,
 - iii. Freight costs;
 - iv. Loss of income from the machine due to a warranty fault,
 - v. Use of non genuine parts.
4. Fieldquip will not cover any repairs performed without Fieldquip personnel prior agreement.

WARRANTY PROCEDURE

In the event of a product failure please proceed as follows:

5. Phone Fieldquip (07) 4691 1500 and discuss the problem with the customer service team. They will advise how to carry out the repair in the quickest, most effective and efficient way.
6. Advise Fieldquip during this phone call what labour would be involved in the repair work. Fieldquip will authorise the pre-allocated labour allowance for the repair and issue a warranty claim number. No repair is to be commenced without prior authorisation.
7. Fieldquip will post out a warranty claim form. This will specify the allowed labour rate, time allocation and parts to be returned for warranty assessment.
8. Fieldquip will dispatch if needed any parts to carry out the repair work and will invoice and charge the dealer. The faulty parts must be returned for a credit to be raised.
9. Fill out the required forms and return (with faulty parts).
10. Once parts and claim forms are received, parts will be assessed and if the claim is accepted, it will be credited to your account.
11. Claims must be returned within 20 days from date of repair.

WARRANTY TERMS

1. All Fieldquip machinery is covered by a comprehensive warranty against faulty materials and workmanship provided that:
 - i. The machine is operated in normal use,
 - ii. The machine is correctly serviced and maintained,
 - iii. The machine is worked within its stated capacity (ie. horsepower limit and PTO speed),
 - iv. The machine is not subjected to any modifications or damage from improper use
 - v. Fieldquip is in receipt of duly signed pre-delivery and installation certificate and warranty documentation.
2. The term of warranty shall be 12 months from date of installation except machines sold into the Hire Industry, these shall be void of warranty.

NOTE: All photos are for Illustration Purposes only and may be a different model to description.

FIELDQUIP®

AG & TURF



PHONE: 1800 454 150
199 BRIDGE STREET OAKLEY QUEENSLAND AUSTRALIA 4401
www.fieldquip.com.au

Additional lines may be added or deleted from the range in this guide -
visit www.fieldquip.com.au for new models and availability

 **MEMBER OF THE
ALAMO GROUP**
ALWAYS ON THE CUTTING EDGE